



US00D769746S

(12) **United States Design Patent** (10) **Patent No.:** **US D769,746 S**  
**Houde** (45) **Date of Patent:** **\*\* \*Oct. 25, 2016**

(54) **CASING FOR A NON-DESTRUCTIVE  
INSPECTION INSTRUMENT**

D710,222 S \* 8/2014 Nadeau ..... D10/65  
9,081,490 B2 \* 7/2015 Bourgault ..... G09G 5/377  
D739,277 S \* 9/2015 Martel ..... D10/78

(71) Applicant: **Jean-Francois Houde**, Quebec (CA)

\* cited by examiner

(72) Inventor: **Jean-Francois Houde**, Quebec (CA)

*Primary Examiner* — Antoine D Davis

(73) Assignee: **Olympus Scientific Solutions  
Americas Inc.**, Waltham, MA (US)

(74) *Attorney, Agent, or Firm* — C. Tricia Liu

(\*) Notice: This patent is subject to a terminal disclaimer.

(57) **CLAIM**  
The ornamental design of a casing for a non-destructive inspection instrument, as shown and described.

(\*\*) Term: **14 Years**

### DESCRIPTION

(21) Appl. No.: **29/494,478**

(22) Filed: **Jun. 20, 2014**

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/78**

(58) **Field of Classification Search**  
USPC ..... D10/70, 78  
CPC .. G06F 3/048; G06F 9/4443; G06F 9/44505;  
G09G 5/377; G01B 7/00; G01B 17/02;  
G01N 27/9046; G01N 27/9073; G01N  
29/043; G01N 2291/02854; G01N 2291/0258  
See application file for complete search history.

(56) **References Cited**

#### U.S. PATENT DOCUMENTS

D430,048 S \* 8/2000 Hoofnagle ..... D10/78  
D444,085 S \* 6/2001 Wrisley ..... D10/78  
6,266,685 B1 \* 7/2001 Danielson ..... G06F 1/1626  
361/679.4  
D668,564 S \* 10/2012 Poirier ..... D10/70  
8,670,952 B2 \* 3/2014 Drummy ..... G01B 7/00  
702/121

FIG. 1 is an isometric view of the presently disclosed casing design including the bumpers, tear shaped anchor points, wrap-around finned heat dissipation surface and interlocking male-female features in the corners and general theme of curved lines radiating out from the mid planes of the enclosure to the corners.

FIG. 2 is a front view of the presently disclosed casing design.

FIG. 3 is a side view of the presently disclosed casing design.

FIG. 4 is a back view of the presently disclosed casing design.


FIG. 5 is a side view of the presently disclosed casing design.


FIG. 6 is a top view of the presently disclosed casing design; and,

FIG. 7 is a bottom view of the presently disclosed casing design.

The broken line showings of FIGS. 4, 5, 6 and 7 are for the purpose of illustrating the environmental structure and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**





**FIG. 1**







FIG. 2



***FIG. 3***



**FIG. 4**



***FIG. 5***




FIG. 6




FIG. 7