



US00D770448S

(12) **United States Design Patent**
Endo et al.

(10) **Patent No.:** **US D770,448 S**
(45) **Date of Patent:** **** Nov. 1, 2016**

(54) **IMAGE DISPLAY DEVICE**

(71) Applicant: **Semiconductor Energy Laboratory Co., LTD.**, Atsugi-shi, Kanagawa-ken (JP)

(72) Inventors: **Akio Endo**, Kanagawa (JP); **Masaaki Hiroki**, Kanagawa (JP)

(73) Assignee: **SEMICONDUCTOR ENERGY LABORATORY CO., LTD.**, Kanagawa-ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/524,487**

(22) Filed: **Apr. 21, 2015**

(30) **Foreign Application Priority Data**

Oct. 28, 2014 (JP) 2014-024014

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/371; D14/341**

(58) **Field of Classification Search**
USPC D14/371-375, 125-129, 336, 337, 341, D14/345; 341/12; 345/104, 156, 168, 173; 348/180, 184, 325, 739; 349/1, 2, 11, 349/62; 361/679.05-679.07, 679.21; D6/300, 301, 308, 310; D16/241
CPC G06F 1/16; G06F 1/1601; G06F 3/037; G06F 1/162; G06F 1/1626; G06F 1/1652; G06F 1/1656; G09G 2380/02; G09G 2340/0464; G09G 2320/0238; H05K 5/0017; H05K 5/0217; H05K 1/028; G02F 1/133305; G02F 1/1616; G02F 1/1647; G02F 1/1679
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D406,468 S * 3/1999 Byers D6/301
5,887,373 A * 3/1999 Byers A47G 1/065
40/605

(Continued)

FOREIGN PATENT DOCUMENTS

JP Des. 1511775 11/2014
JP Des. 1516301 1/2015

OTHER PUBLICATIONS

Akio Endo et al., "Image Display Device", U.S. Appl. No. 29/501,266, filed Sep. 3, 2014, Specification and Drawings.

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Nixon Peabody LLP; Jeffrey L. Costellia



(57) **CLAIM**

We claim, the ornamental design for an image display device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an image display device showing our new design;
FIG. 2 is a rear view;
FIG. 3 is a right side view;
FIG. 4 is a left side view;
FIG. 5 is a top view;
FIG. 6 is a bottom view;
FIG. 7 is a perspective view in a half-folded state;
FIG. 8 is a perspective view in an unfolded state; and,
FIG. 9 is another perspective view in a curved state.
The image display device is used in a folded, unfolded, or curved state as necessary.
The image display device includes a flexible display that can be curved. The flexible display can function as a touch panel. The flexible display is held by two housings. The image display device can be folded in half with a display surface of the flexible display facing inward.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,393,749 B1 *	3/2013	Daicos	F16M 11/2014 248/466	2012/0002360 A1 *	1/2012	Seo	G06F 1/1616 361/679.01
D694,754 S *	12/2013	Nakada	D14/373	2012/0264489 A1 *	10/2012	Choi	H04M 1/0216 455/566
8,605,421 B2 *	12/2013	Verschoor	G06F 1/1652 361/679.21	2013/0307816 A1 *	11/2013	Lee	G06F 1/1652 345/174
8,971,031 B2 *	3/2015	Mok	G06F 1/1652 349/58	2014/0003006 A1 *	1/2014	Ahn	G06F 1/1679 361/749
2003/0217817 A1 *	11/2003	Niehausmeier	E05D 15/26 160/118	2014/0213324 A1 *	7/2014	Tan	H04M 1/0268 455/566
2004/0212602 A1 *	10/2004	Nako	G06F 1/1616 345/173	2014/0218321 A1 *	8/2014	Lee	G06F 1/1652 345/173
2010/0157518 A1 *	6/2010	Ladouceur	G06F 1/1616 361/679.09	2014/0347806 A1 *	11/2014	Totani	G06F 1/1647 361/679.27
2010/0201604 A1 *	8/2010	Kee	G06F 1/1616 345/1.3	2015/0055287 A1 *	2/2015	Seo	G06F 1/1652 361/679.27

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9

