



US00D770450S

(12) **United States Design Patent** (10) **Patent No.:** **US D770,450 S**
Bae et al. (45) **Date of Patent:** **** Nov. 1, 2016**

(54) **DISPLAY DEVICE**

(71) Applicant: **SAMSUNG DISPLAY CO., LTD.**,
Yongin-si, Gyeonggi-do (KR)
(72) Inventors: **Jong Sung Bae**, Hwaseong-si (KR);
Mu Gyeom Kim, Hwaseong-si (KR);
Kyoung-Eun Lee, Seoul (KR); **Chang**
Yong Jeong, Yongin-si (KR)

(73) Assignee: **Samsung Display Co., Ltd.**, Yongin-si
(KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/536,515**

(22) Filed: **Aug. 17, 2015**

(30) **Foreign Application Priority Data**

Feb. 17, 2015 (KR) 30-2015-0008887

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/374**; D14/341

(58) **Field of Classification Search**
USPC D14/371-375, 125-129, 336, 337, 341,
D14/138; 341/12; 345/104, 156, 168, 173;
348/180, 184, 325, 739; 349/1, 2, 11,
349/62; 361/679.05-679.07, 679.21;
D6/300, 308; D20/10
CPC G06F 1/16; G06F 1/1601; G06F 3/037;
G06F 1/162; G06F 1/1613; G06F 1/1652;
G06F 1/1656; G06F 3/011; F16M 11/02;
F16M 11/10; F16M 11/00; G02F 1/133308;
G02F 1/133305; G09G 2340/0464; G09G
2320/0238; H05K 5/0017; H05K 5/0217;
H05K 1/028; G09F 15/0025

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,742,294 B1 * 6/2004 Fossum A47G 1/0616
40/611.1
D573,417 S * 7/2008 Osbourn D7/641

(Continued)

FOREIGN PATENT DOCUMENTS

KR 10-2014-0054746 A 5/2014

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Lewis Roca Rothgerber
Christie LLP


(57) **CLAIM**

The ornamental design for a display device, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a
display device;
FIG. 2 is a front view of the first embodiment;
FIG. 3 is a rear view the first embodiment;
FIG. 4 is a left-side view of the first embodiment;
FIG. 5 is a right-side view of the first embodiment;
FIG. 6 is a top view of the first embodiment;
FIG. 7 is a bottom view of the first embodiment;
FIG. 8 is a perspective view of a second embodiment of a
display device;
FIG. 9 is a front view of the second embodiment;
FIG. 10 is a rear view the second embodiment;
FIG. 11 is a left-side view of the second embodiment;
FIG. 12 is a right-side view of the second embodiment;
FIG. 13 is a top view of the second embodiment;
FIG. 14 is a bottom view of the second embodiment;
FIG. 15 is a front perspective view of a third embodiment of
a display device;
FIG. 16 is a front view of the third embodiment;
FIG. 17 is a rear view the third embodiment;
FIG. 18 is a left-side view of the third embodiment;
FIG. 19 is a right-side view of the third embodiment;
FIG. 20 is a top view of the third embodiment;
FIG. 21 is a bottom view of the third embodiment; and,
FIG. 22 is a rear perspective view of the third embodiment.

1 Claim, 16 Drawing Sheets



US D770,450 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

7,441,357 B2 *	10/2008	Steer	G09F 15/0025	40/603
7,456,823 B2 *	11/2008	Poupyrev	G06F 3/011	178/18.06
D662,921 S *	7/2012	Clements	D14/243	
8,502,788 B2 *	8/2013	Cho	G06F 1/1626	345/173
D703,213 S *	4/2014	Gifford	D14/447	
D713,811 S *	9/2014	Isaacs	D14/138 AA	
8,832,980 B2 *	9/2014	Hill	G09F 1/06	40/603
8,929,085 B2 *	1/2015	Franklin	G06F 1/1626	361/749
2009/0219247 A1 *	9/2009	Watanabe	G06F 1/1615	345/157
2011/0187681 A1 *	8/2011	Kim	G06F 1/1652	345/204

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5





FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

FIG. 12





FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

FIG. 19





FIG. 20




FIG. 21




FIG. 22

