



US00D770915S

(12) **United States Design Patent** (10) **Patent No.:** **US D770,915 S**
James et al. (45) **Date of Patent:** **** Nov. 8, 2016**

- (54) **FLEXIBLE POUCH AND DOCK SYSTEM**
- (71) Applicants: **Timothy James**, Brooklyn, NY (US);
Haley A. Lowry, Houston, TX (US);
Jill M. Martin, Brazoria, TX (US)
- (72) Inventors: **Timothy James**, Brooklyn, NY (US);
Haley A. Lowry, Houston, TX (US);
Jill M. Martin, Brazoria, TX (US)
- (73) Assignee: **Dow Global Technologies LLC**,
Midland, MI (US)

5,579,945 A	12/1996	Ichikawa et al.	
5,879,768 A	3/1999	Falla et al.	
6,021,928 A	2/2000	Falconer	
D478,504 S *	8/2003	Crozet	D9/708
6,705,492 B2	3/2004	Lowry	
6,880,728 B1	4/2005	Moisio et al.	
6,895,729 B2	5/2005	Post et al.	
7,261,221 B2	8/2007	Awbrey et al.	
D582,788 S *	12/2008	Smith	D9/708
7,544,191 B2	6/2009	Peluso et al.	
7,874,466 B2	1/2011	McConville et al.	

(Continued)

(**) Term: **14 Years**

(21) Appl. No.: **29/446,120**

(22) Filed: **Feb. 20, 2013**

(51) **LOC (10) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/707**

(58) **Field of Classification Search**
USPC D9/702-714, 429-432, 447, 720;
383/80, 42, 906, 903, 901, 93,
383/122-126, 121.1, 103, 96, 200; D7/213,
D7/601-602; 222/92, 81, 104-105, 107,
222/541.5, 529; 215/316; 493/52; D24/207,
D24/118, 129; D3/202
CPC B65D 1/00; B65D 1/02; B65D 1/10;
B65D 1/32; B65D 1/243; B65D 1/0223;
B65D 1/0292; B65D 23/00; B65D 2501/00;
B65D 2501/0009

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,161,326 A	12/1964	Parr	
D237,018 S *	9/1975	Betka	D24/118
4,331,266 A	5/1982	Bond	
4,416,395 A	11/1983	Gaubert	
D271,805 S *	12/1983	Larkin	D24/118
4,969,580 A	11/1990	Mikhail	
4,974,762 A	12/1990	Boretsky et al.	
5,307,955 A	5/1994	Viegas	

FOREIGN PATENT DOCUMENTS

EP	0371307 A1	6/1990
JP	H0741010 A	2/1995

(Continued)

OTHER PUBLICATIONS

Machine translation of JP2000335594.

(Continued)

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP


(57) **CLAIM**

An ornamental design for a flexible pouch and dock system, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a flexible pouch and dock system showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a left elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right elevation view thereof; and,
FIG. 7 is a rear elevation view thereof.
The broken lines in the drawings represent unclaimed environmental matter.

1 Claim, 4 Drawing Sheets



(56)

References Cited

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS

8,225,958 B2 7/2012 Nielsen et al.
8,276,806 B2 10/2012 Burke
D680,446 S * 4/2013 Moynihan D9/709
D680,880 S 4/2013 Johnson et al.
8,408,790 B2 4/2013 Reilly
D699,128 S * 2/2014 Moynihan D9/707
D701,774 S * 4/2014 Steigelman D9/703
2003/0015556 A1 1/2003 Wild et al.
2012/0181303 A1 7/2012 Swanick

JP 2000335594 A 12/2000
JP 3935540 B2 6/2007
WO 00/23327 A1 4/2000
WO 01/54991 A1 8/2001
WO 03/024822 A1 3/2003
WO 2010/062247 A1 6/2010

OTHER PUBLICATIONS

Machine translation of JP3935540(B2).

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

