



US00D770937S

(12) **United States Design Patent** (10) **Patent No.:** **US D770,937 S**
Delgrosso (45) **Date of Patent:** **** Nov. 8, 2016**

- (54) **DISPLAY MOUNTING BRACKET**
- (71) Applicant: **Anthony Delgrosso**, Vancouver, WA (US)
- (72) Inventor: **Anthony Delgrosso**, Vancouver, WA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/498,646**
- (22) Filed: **Aug. 6, 2014**
- (51) **LOC (10) Cl.** **11-02**
- (52) **U.S. Cl.**
USPC **D11/135**
- (58) **Field of Classification Search**
USPC D11/131, 132, 133, 134, 135, 157, 158, D11/164; D6/300, 303, 312
CPC G09B 23/36; B44C 5/00; B44C 5/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

453,008 A * 5/1891 Kaempfer et al. A45D 27/29
248/314
D41,006 S * 11/1910 Buchmiller et al. D11/158
2,003,896 A * 6/1935 Menger B44C 5/02
428/16
D113,139 S * 1/1939 Galgano et al. D11/134
D119,636 S * 3/1940 McPeak et al. D11/134
2,354,622 A * 7/1944 Swartz B44C 5/02
40/757
D183,776 S * 10/1958 Tichacek et al. D11/134
D208,970 S * 10/1967 Sawallesh et al. D11/134
D266,216 S * 9/1982 Markin D11/134
D270,904 S * 10/1983 Spina D11/164
4,464,440 A * 8/1984 Dotzman B44C 5/02
428/16
D287,344 S * 12/1986 Hinnen D11/134
4,717,626 A * 1/1988 Badger B44C 5/02
428/16
4,971,865 A * 11/1990 Nowlan B44C 5/02
248/295.11
5,015,532 A * 5/1991 Knight B44C 5/02
428/16
D336,623 S * 6/1993 Culbertson D11/132

D343,373 S * 1/1994 Nelson D11/133
D355,390 S * 2/1995 Culbertson D11/132
D359,012 S * 6/1995 Gross D11/132
D369,118 S * 4/1996 Bourcy D11/131
D369,119 S * 4/1996 Taylor D11/132
D370,429 S * 6/1996 Taylor D11/132
D407,993 S * 4/1999 Sprinkle D11/133
D454,316 S * 3/2002 Chiou D11/134
D550,119 S * 9/2007 Wynne D11/131
D563,266 S * 3/2008 McAbee D11/131
D570,245 S * 6/2008 McAbee D11/131

(Continued)

Primary Examiner — John Windmuller

Assistant Examiner — Steven Czyz

(74) *Attorney, Agent, or Firm* — Mark Beatty; Rylander + Associates P.C.

(57) **CLAIM**

The ornamental design for a display mounting bracket, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a display mounting bracket.

FIG. 2 is a right side perspective view thereof.

FIG. 3 is an interior view thereof, showing the display mounting bracket fully extended in an alternate state.

FIG. 4 is a front view thereof.

FIG. 5 is a back side view thereof.

FIG. 6 is a right side view thereof.

FIG. 7 is a top view thereof.

FIG. 8 is a bottom view thereof.


FIG. 9 is a right front perspective view thereof, showing a hunting trophy mounted to the display mounting bracket for context; and,

FIG. 10 is a right side perspective view thereof, showing a hunting trophy mounted to the display mounting bracket for context.

Although the hinge is not part of the claimed design, the front and back portions of the display mounting bracket are adjustable and may be oriented at different angles relative to one another.

The broken lines depict portions of the article and environment that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



US D770,937 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D608,686 S *	1/2010	St. Ama	D11/134	
D610,485 S *	2/2010	Ross	D11/158	* cited by examiner
D611,875 S *	3/2010	Walker	D11/134	
D721,987 S *	2/2015	Burgh	D11/134	
D722,525 S *	2/2015	Burgh	D11/134	




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG.8




FIG.9




FIG. 10