

US00D770988S

(12) **United States Design Patent** (10) **Patent No.:** **US D770,988 S**
Kim et al. (45) **Date of Patent:** **** Nov. 8, 2016**

(54) **LIGHT EMITTING DIODE**

(71) Applicant: **Seoul Viosys Co., Ltd.**, Ansan-si (KR)

(72) Inventors: **Jong Kyu Kim**, Ansan-si (KR); **Yeo Jin Yoon**, Ansan-si (KR)

(73) Assignee: **SEOUL VIOSYS CO., LTD.**, Ansan-Si (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/535,496**

(22) Filed: **Aug. 6, 2015**

(30) **Foreign Application Priority Data**

Feb. 6, 2015 (KR) 30-2015-0006487

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/180**

(58) **Field of Classification Search**
USPC D13/180; D26/1
CPC . H01L 25/167; H01L 25/0753; H01L 27/15;
H01L 27/156; H01L 31/02; H01L 33/00;
H01L 33/04; H01L 33/08; H01L 33/10;
H01L 33/20; H01L 33/38; H01L 33/42;
H01L 33/48; H01L 33/62; H01L 33/483;
H01L 33/486; F21K 9/00; F21K 9/30;
F21K 9/54

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,534,799 B1 * 3/2003 Wang H01L 33/486
257/100
D511,328 S * 11/2005 Wang D13/180
D536,309 S * 2/2007 Muguruma D13/180

D615,052 S * 5/2010 Imai D13/180
D621,800 S * 8/2010 Hsieh D13/180
D685,751 S * 7/2013 Wu D13/180
8,492,776 B2 * 7/2013 Nagai H01L 25/0753
257/88
D689,450 S * 9/2013 Shimonishi D13/180
2009/0242906 A1 * 10/2009 Tsukagoshi H01L 33/62
257/88
2010/0264430 A1 * 10/2010 Takamura H01L 51/5203
257/88
2011/0096045 A1 * 4/2011 Ito G09F 9/33
345/204
2011/0186874 A1 * 8/2011 Shum H01L 25/0753
257/88
2012/0037939 A1 * 2/2012 Urano H01L 33/486
257/98
2012/0161196 A1 * 6/2012 Lowenthal H01L 25/048
257/100
2014/0346554 A1 * 11/2014 Shum H01L 33/385
257/99
2016/0056356 A1 * 2/2016 Oh H01L 33/62
257/98

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light emitting diode showing a new design;

FIG. 2 is a front view of the light emitting diode;

FIG. 3 is a rear view of the light emitting diode;

FIG. 4 is a left side view of the light emitting diode;

FIG. 5 is a right side view of the light emitting diode;

FIG. 6 is a top plan view of the light emitting diode; and,

FIG. 7 is a bottom view of the light emitting diode.

1 Claim, 3 Drawing Sheets




FIG 1




FIG 2




FIG 3




FIG 4



FIG 5




FIG 6




FIG 7

