



US00D770989S

(12) **United States Design Patent**  
**Kim et al.**

(10) **Patent No.:** **US D770,989 S**  
(45) **Date of Patent:** **\*\* Nov. 8, 2016**

(54) **LIGHT EMITTING DIODE**  
(71) Applicant: **Seoul Viosys Co., Ltd.**, Ansan-si (KR)  
(72) Inventors: **Mae Yi Kim**, Ansan-si (KR); **Seom Geun Lee**, Ansan-si (KR); **Yeo Jin Yoon**, Ansan-si (KR)  
(73) Assignee: **SEOUL VIOSYS CO., LTD.**, Ansan-Si (KR)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/537,275**  
(22) Filed: **Aug. 24, 2015**

D647,495 S \* 10/2011 Chang ..... D13/180  
8,309,971 B2 \* 11/2012 Seo ..... H01L 33/08  
257/79  
D681,570 S \* 5/2013 Wang ..... D13/180  
8,455,912 B2 \* 6/2013 Tanaka ..... H01L 33/20  
257/100  
8,471,242 B2 \* 6/2013 Kim ..... H01L 33/42  
257/13  
D688,819 S \* 8/2013 Shen ..... D13/180  
D709,840 S \* 7/2014 Tsai ..... D13/180  
D716,238 S \* 10/2014 Yeh ..... D13/180  
9,029,899 B2 \* 5/2015 Kim ..... H01L 33/20  
257/99  
D750,580 S \* 3/2016 Yeh ..... D13/180  
9,349,920 B2 \* 5/2016 Na ..... H01L 33/387  
2012/0074438 A1 \* 3/2012 Hwang ..... H01L 33/0095  
257/88

\* cited by examiner

(30) **Foreign Application Priority Data**

Feb. 23, 2015 (KR) ..... 30-2015-0009095

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/180**

(58) **Field of Classification Search**  
USPC ..... D13/180; D26/1  
CPC . H01L 25/167; H01L 25/0753; H01L 27/15;  
H01L 27/156; H01L 31/02; H01L 33/00;  
H01L 33/04; H01L 33/08; H01L 33/10;  
H01L 33/20; H01L 33/38; H01L 33/42;  
H01L 33/48; H01L 33/62; H01L 33/483;  
H01L 33/486; F21K 9/00; F21K 9/30;  
F21K 9/54

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D647,493 S \* 10/2011 Chang ..... D13/180  
D647,494 S \* 10/2011 Chang ..... D13/180

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a light emitting diode showing a new design;  
FIG. 2 is a front view of the light emitting diode;  
FIG. 3 is a rear view of the light emitting diode;  
FIG. 4 is a left side view of the light emitting diode;  
FIG. 5 is a right side view of the light emitting diode;  
FIG. 6 is a top plan view of the light emitting diode; and,  
FIG. 7 is a bottom view of the light emitting diode.

**1 Claim, 3 Drawing Sheets**




FIG 1







FIG 2



**FIG 3**



**FIG 4**



**FIG 5**




FIG 6




FIG 7

