



US00D770992S

(12) **United States Design Patent**
Tauchi et al.

(10) **Patent No.:** **US D770,992 S**
(45) **Date of Patent:** **** Nov. 8, 2016**

(54) **ELECTRODE COVER FOR A PLASMA
PROCESSING APPARATUS**

(71) Applicant: **Hitachi High-Technologies
Corporation**, Minato-ku, Tokyo (JP)

(72) Inventors: **Susumu Tauchi**, Tokyo (JP); **Takashi
Uemura**, Tokyo (JP); **Kohei Sato**,
Tokyo (JP)

(73) Assignee: **Hitachi High-Technologies
Corporation**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/544,070**

(22) Filed: **Oct. 30, 2015**

(30) **Foreign Application Priority Data**

Jun. 12, 2015 (JP) 2015-013037

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/158-177, 182, 184; 204/286.1,
204/297.1; 205/118, 123; 200/1 R, 5 R, 52 R,
200/315, 310, 6 A, 302.1, 308, 314, 317,
200/11 R, 16 B
CPC C25D 17/10; C25D 17/12; C25D 17/14;
C25D 17/06; C25D 17/08; C25D 7/12;
C25D 7/10; H01L 21/283; H01H 9/02;
H01H 9/0214; H01H 9/04; H01H 9/161;
H01H 13/04; H01H 13/06; H01H 13/023;
H01H 21/08; H01H 19/025
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D404,370 S * 1/1999 Kimura D13/182
D404,372 S * 1/1999 Ishii D13/182
D427,570 S * 7/2000 Ishii D13/182

6,495,007 B2 * 12/2002 Wang C25F 7/00
204/286.1
6,663,762 B2 * 12/2003 Bleck H01L 21/68728
204/288
D494,551 S * 8/2004 Doba D13/182
D494,552 S * 8/2004 Tezuka D13/182
6,843,894 B2 * 1/2005 Berner C25D 17/007
204/211
6,908,540 B2 * 6/2005 Kholodenko C25D 7/12
204/224 R
7,025,862 B2 * 4/2006 Herchen C25D 17/06
204/199
7,087,144 B2 * 8/2006 Herchen C25D 17/06
204/285
7,138,039 B2 * 11/2006 Burkhart C25D 17/06
204/224 R
D557,226 S * 12/2007 Uchino D13/182

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1184862 S 9/2003
JP D1208795 S 6/2004

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP



(57) **CLAIM**

The ornamental design for an electrode cover for a plasma processing apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side enlarged perspective view of an electrode cover for a plasma processing apparatus showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a cross-sectional view taken along line 8-8 of FIG. 6; and,
FIG. 9 is an enlarged portion view taken along line 9-9 of FIG. 8.

1 Claim, 5 Drawing Sheets



(56)

References Cited

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS

D559,993 S 1/2008 Nagakubo et al.
D559,994 S 1/2008 Nagakubo et al.
D699,200 S 2/2014 Nagakubo
D709,536 S 7/2014 Yoshimura et al.
D709,538 S 7/2014 Mizukami
D709,539 S 7/2014 Kuwabara et al.

JP D1210214 S 6/2004
JP D1267920 S 4/2006
JP D1438663 S 4/2012
JP D1444749 S 6/2012
JP D1444992 S 6/2012

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9