



US00D771042S

(12) **United States Design Patent**
Ehrensward

(10) **Patent No.:** **US D771,042 S**

(45) **Date of Patent:** **** Nov. 8, 2016**

(54) **PORTABLE TWO-FACTOR
AUTHENTICATION DEVICE**

(71) Applicant: **Yubico Inc.**, Palo Alto, CA (US)

(72) Inventor: **Johan Jakob Erik Ehrensward**, Palo Alto, CA (US)

(73) Assignee: **Yubico Inc.**, Palo Alto, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/523,135**

(22) Filed: **Apr. 7, 2015**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/383**

(58) **Field of Classification Search**

USPC D14/356–358, 383–385, 420, 426, 427,
D14/432–439, 447, 453, 454, 217, 253, 299,
D14/307; D13/107, 108, 133, 146, 147,
D13/152, 154, 156, 158, 162, 162.1, 168,
D13/173, 177, 102; 235/441, 451, 492, 380,
235/439, 375; 361/679.31, 600, 679.01,
361/679.02

CPC G07C 9/00103; G07C 9/00039; G07C
9/00904; G06K 5/00; G06K 7/01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|------------|-------|---------|
| D255,899 S | * | 7/1980 | Karas | | D14/383 |
| D477,815 S | * | 7/2003 | Gillingham | | D13/184 |
| D480,725 S | * | 10/2003 | Funato | | D14/383 |
| D508,245 S | * | 8/2005 | Ozolins | | D14/383 |
| D535,992 S | * | 1/2007 | Ozolins | | D14/383 |
| D631,880 S | * | 2/2011 | Hirota | | D14/383 |

(Continued)

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Fenwick & West LLP

(57) **CLAIM**

The ornamental design for a portable two-factor authentication device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the first embodiment of the portable two-factor authentication device.

FIG. 2 is a rear perspective view of the first embodiment of the portable two-factor authentication device.

FIG. 3 is a front plane view of the first embodiment of the portable two-factor authentication device.

FIG. 4 is a back plane view of the first embodiment of the portable two-factor authentication device.

FIG. 5 is a left side view of the first embodiment of the portable two-factor authentication device.

FIG. 6 is a right side view of the first embodiment of the portable two-factor authentication device.

FIG. 7 is a top view of the first embodiment of the portable two-factor authentication device.

FIG. 8 is a bottom view of the first embodiment of the portable two-factor authentication device.

FIG. 9 is a front perspective view of the second embodiment of the portable two-factor authentication device.

FIG. 10 is a rear perspective view of the second embodiment of the portable two-factor authentication device.

FIG. 11 is a front plane view of the second embodiment of the portable two-factor authentication device.

FIG. 12 is a back plane view of the second embodiment of the portable two-factor authentication device.

FIG. 13 is a left side view of the second embodiment of the portable two-factor authentication device.



FIG. 14 is a right side view of the second embodiment of the portable two-factor authentication device.

FIG. 15 is a top view of the second embodiment of the portable two-factor authentication device; and,

FIG. 16 is a bottom view of the second embodiment of the portable two-factor authentication device.

The broken lines in the drawings showing portions of the portable two-factor authentication device are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 16 Drawing Sheets



US D771,042 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D673,952 S * 1/2013 Toda D14/383
D718,307 S * 11/2014 Ozolins D14/383
D727,321 S * 4/2015 LaBorde D14/383

D727,901 S * 4/2015 Nishimura D14/383
D728,675 S * 5/2015 Daniel D14/383
D742,877 S * 11/2015 Tsuchida D14/383
D761,260 S * 7/2016 Luo D14/383

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16