



US00D771461S

(12) **United States Design Patent** (10) **Patent No.:** **US D771,461 S**
Stokes et al. (45) **Date of Patent:** **** Nov. 15, 2016**

(54) **SHEARS**

D739,197 S * 9/2015 Farnworth D8/57
 D754,506 S * 4/2016 Hunter D8/57
 2014/0082946 A1* 3/2014 Kawai B26B 13/20
 30/233

(71) Applicant: **Acme United Corporation**, Fairfield, CT (US)

* cited by examiner

(72) Inventors: **Thomas R. Stokes**, Williamsburg, VA (US); **Richard S. Constantine**, Monroe, CT (US)

Primary Examiner — Deanna L Pratt
(74) *Attorney, Agent, or Firm* — Alix, Yale & Ristas, LLP

(73) Assignee: **Acme United Corporation**, Fairfield, CT (US)

(57) **CLAIM**
The ornamental design for the shears, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/542,130**

FIG. 1 is a perspective view of shears according to the new design;

(22) Filed: **Oct. 12, 2015**

FIG. 2 is a front view thereof;

(51) **LOC (10) Cl.** **08-05**

FIG. 3 is a rear view thereof;

(52) **U.S. Cl.**

FIG. 4 is a bottom plan view thereof;

USPC **D8/57**

FIG. 5 is a top plan view thereof;

(58) **Field of Classification Search**

USPC D8/51–58

FIG. 6 is a left side view thereof;

CPC B26B 13/00; B26B 13/06; B26B 13/12;

FIG. 7 is a right side view thereof;

B26B 13/22; B26B 13/24; B26B 17/00

FIG. 8 is a perspective view of a second embodiment of the shears showing the new design;

See application file for complete search history.

FIG. 9 is a front view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D247,606 S *	3/1978	Breger	D8/57
D389,714 S *	1/1998	Snyker	D8/57
D437,197 S *	2/2001	Ohno	D8/57
D442,046 S *	5/2001	Huang	D8/57
D450,987 S *	11/2001	Chien	D7/693
D460,334 S *	7/2002	Carpenter	D8/55
6,493,947 B2 *	12/2002	Stokes	B26B 13/20 30/232
D521,830 S *	5/2006	Brady	D8/57
7,096,586 B2 *	8/2006	Carpenter	B26B 13/22 30/143
7,694,423 B2 *	4/2010	Hasegawa	B26B 13/20 30/232
8,516,707 B2 *	8/2013	Castley	B26B 13/12 30/232

FIG. 10 is a rear view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a top plan view thereof;

FIG. 13 is a left side view thereof;

FIG. 14 is a right side view thereof;

FIG. 15 is a perspective view of a third embodiment of the shears showing the new design;

FIG. 16 is a front view thereof;

FIG. 17 is a rear view thereof;

FIG. 18 is a bottom plan view thereof;


FIG. 19 is a top plan view thereof;

FIG. 20 is a left side view thereof; and,

FIG. 21 is a right side view thereof.

No claim is shown to the pivot portions shown in broken lines.

1 Claim, 15 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21