



US00D771553S

(12) **United States Design Patent** (10) **Patent No.:** **US D771,553 S**  
**Nagase** (45) **Date of Patent:** **\*\* Nov. 15, 2016**

(54) **TIRE FOR AUTOMOBILE**  
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(72) Inventor: **Hiroki Nagase, Hyogo-ken (JP)**  
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/526,172**  
(22) Filed: **May 7, 2015**  
(51) **LOC (10) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/532**  
(58) **Field of Classification Search**  
USPC ..... D12/500-532, 900-901  
CPC ..... B60C 11/0304; B60C 11/0302; B60C 11/0306; B60C 11/0309; B60C 11/0318; B60C 11/0311; B60C 11/042; B60C 11/13; B60C 11/00; B60C 11/11; B60C 11/12  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D334,360 S	3/1993	Graas et al. ....	D12/146
D368,687 S	4/1996	Hayashi .....	D12/147
D423,422 S	4/2000	Selover et al. ....	D12/146
D427,551 S	7/2000	Weber .....	D12/141
D432,956 S	10/2000	Ricquet .....	D12/141
D451,440 S	12/2001	Weber .....	D12/146
D451,441 S	12/2001	Weber .....	D12/146
D451,859 S *	12/2001	Slingluff .....	D12/531
D453,729 S	2/2002	Demagall et al. ....	D12/523
D482,323 S	11/2003	Corbin et al. ....	D12/584
D488,768 S *	4/2004	Osborne .....	D12/532
D490,045 S	5/2004	Delu et al. ....	D12/519
D524,232 S *	7/2006	Heinen .....	D12/521
D524,237 S *	7/2006	Labbe .....	D12/532

D558,127 S	12/2007	Shavers et al. ....	D12/519
D559,767 S	1/2008	Graas et al. ....	D12/521
D564,440 S *	3/2008	Larregain .....	D12/528
D571,282 S	6/2008	Murata et al. ....	D12/523
D584,213 S	1/2009	Shinkai .....	D12/519
D595,220 S	6/2009	Maxwell .....	D12/590
D599,276 S	9/2009	Fontaine et al. ....	D12/519
D600,193 S	9/2009	Nukala et al. ....	D12/521
D601,939 S	10/2009	Fontaine et al. ....	D12/519
D609,161 S	2/2010	Fontaine et al. ....	D12/517
D634,699 S	3/2011	Fontaine et al. ....	D12/517
D635,911 S	4/2011	Sieber et al. ....	D12/521
D639,720 S	6/2011	Harvey et al. ....	D12/521
D644,593 S	9/2011	Fontaine et al. ....	D12/523
D646,626 S	10/2011	Murata .....	D12/586
D647,458 S *	10/2011	Bauer .....	D12/532
D665,336 S	8/2012	Skurich et al. ....	D12/523
D666,138 S	8/2012	Fontaine et al. ....	D12/521
D682,775 S *	5/2013	Sheifele .....	D12/531
D700,879 S *	3/2014	Harris .....	D12/528
D708,116 S	7/2014	Caron et al. ....	D12/523
D713,778 S	9/2014	Muthigi et al. ....	D12/521
D734,243 S *	7/2015	Mosko .....	D12/532
D735,115 S *	7/2015	Morito .....	D12/531



\* cited by examiner

*Primary Examiner* — Stacia Cadmus  
(74) *Attorney, Agent, or Firm* — Edward T. Kennedy

(57) **CLAIM**  
The ornamental design for a tire for automobile, as shown and described.

**DESCRIPTION**  
FIG. 1 is a perspective view of a tire for automobile showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof; and,  
FIG. 4 is an enlarged fragmentary front elevational view thereof.

**1 Claim, 4 Drawing Sheets**








FIG - 1




FIG - 2






FIG - 3






FIG - 4