



US00D771661S

(12) **United States Design Patent** (10) **Patent No.:** **US D771,661 S**
Gruner (45) **Date of Patent:** **** Nov. 15, 2016**(54) **AUTOMATIC PIPETTE DISPLAYING A GRAPHICAL USER INTERFACE**2008/0165148 A1* 7/2008 Williamson G06F 3/04883
345/173
2012/0041518 A1* 2/2012 Kim A61N 1/36071
607/60
2012/0069131 A1* 3/2012 Abelow G06Q 10/067
348/14.01
2013/0124953 A1* 5/2013 Fan G06F 17/212
715/202(71) Applicant: **Eppendorf AG**, Hamburg (DE)(72) Inventor: **Kathlen Gruner**, Hamburg (DE)(73) Assignee: **Eppendorf AG**, Hamburg (DE)(**) Term: **14 Years**(21) Appl. No.: **29/503,585**(22) Filed: **Sep. 26, 2014**(51) LOC (10) Cl. **14-04**

(52) U.S. Cl.

USPC **D14/486**(58) **Field of Classification Search**

USPC D14/485-495

CPC G06Q 30/0601; G06Q 30/0641;
A63F 2300/308; A63F 13/53; A63F 2300/66;
A63F 2300/8082; H04M 1/72547; H04M
1/72519-1/172561; H04M 1/72552; H04M
1/72555; A61B 5/02; G06F 19/3406; G06F
17/212; G06F 17/211; H04N 1/00196

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D401,231 S * 11/1998 Schechtman D14/486
D415,134 S * 10/1999 Culp D14/488
D575,792 S * 8/2008 Benson D14/486
D576,172 S * 9/2008 Kim D14/486
D593,114 S * 5/2009 Vakkalanka D14/486
D596,193 S * 7/2009 Shotel D14/486
D596,643 S * 7/2009 Bamford D14/485
D657,370 S * 4/2012 Hecht D14/486
D712,923 S * 9/2014 Lee D14/488
D722,608 S * 2/2015 Donahue D14/486
D724,614 S * 3/2015 Mullet D14/486
D734,775 S * 7/2015 Nagasawa D14/488
D736,233 S * 8/2015 Kanenari D14/486
D754,161 S * 4/2016 Wilder D14/486

OTHER PUBLICATIONS

Epmotion 96: effektiveres Arbeiten mit 96-Well-Platten , posted Aug. 25, 2014, [retrieved Jun. 21, 2016]. Retrieved from Internet, <URL: <http://www.git-labor.de/produkte/analyseautomation/epmition-96-effektiveres-arbeiten-mit-96-well-platten>>.*

(Continued)

Primary Examiner — Barbara Fox

Assistant Examiner — Kristin E Reed

(74) Attorney, Agent, or Firm — White & Case LLP

(57) **CLAIM**

The ornamental design for a an automatic pipette displaying a graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an automatic pipette displaying a graphical user interface showing the new design in a first embodiment;


FIG. 2 is an enlarged front view of the graphical user interface of FIG. 1;

FIG. 3 is an enlarged front view of a second embodiment of the graphical user interface of FIG. 1;

FIG. 4 is an enlarged front view of a third embodiment of the graphical user interface of FIG. 1; and,

FIG. 5 is an enlarged front view of a fourth embodiment of the graphical user interface of FIG. 1.

The broken lines shown in FIG. 1 are for the purposes of illustrating structure that is not part of the claimed design, but is considered necessary to show the environment in which the design is associated and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets

(56)

References Cited

OTHER PUBLICATIONS

Pipette Guide 24s, posted Aug. 21, 2012, [retrieved Jun. 21, 2016]. Retrieved from Internet, <URL: <https://itunes.apple.com/us/app/pipette-guide-24s/id551022167?mt=8>>.*

epMotion® 96—product brochure, posted date not given, [retrieved Jun. 21, 2016]. Retrieved from Internet, <URL: <https://online-shop.eppendorf.us/US-en/Automated-Pipetting-44509/Liquid-Handling-Workstations-44510/ep96-PF-91449.html>>.*

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5