



US00D771661S

(12) **United States Design Patent** (10) **Patent No.:** **US D771,661 S**
Gruner (45) **Date of Patent:** **** Nov. 15, 2016**

(54) **AUTOMATIC PIPETTE DISPLAYING A GRAPHICAL USER INTERFACE**

(71) Applicant: **Eppendorf AG**, Hamburg (DE)

(72) Inventor: **Kathlen Gruner**, Hamburg (DE)

(73) Assignee: **Eppendorf AG**, Hamburg (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/503,585**

(22) Filed: **Sep. 26, 2014**

(51) **LOC (10) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/486**

(58) **Field of Classification Search**
USPC D14/485–495
CPC G06Q 30/0601; G06Q 30/0641;
A63F 2300/308; A63F 13/53; A63F 2300/66;
A63F 2300/8082; H04M 1/72547; H04M
1/72519–1/72561; H04M 1/72552; H04M
1/72555; A61B 5/02; G06F 19/3406; G06F
17/212; G06F 17/211; H04N 1/00196
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D401,231 S *	11/1998	Schechtman	D14/486
D415,134 S *	10/1999	Culp	D14/488
D575,792 S *	8/2008	Benson	D14/486
D576,172 S *	9/2008	Kim	D14/486
D593,114 S *	5/2009	Vakkalanka	D14/486
D596,193 S *	7/2009	Shotel	D14/486
D596,643 S *	7/2009	Bamford	D14/485
D657,370 S *	4/2012	Hecht	D14/486
D712,923 S *	9/2014	Lee	D14/488
D722,608 S *	2/2015	Donahue	D14/486
D724,614 S *	3/2015	Mullet	D14/486
D734,775 S *	7/2015	Nagasawa	D14/488
D736,233 S *	8/2015	Kanenari	D14/486
D754,161 S *	4/2016	Wilder	D14/486

2008/0165148 A1*	7/2008	Williamson	G06F 3/04883 345/173
2012/0041518 A1*	2/2012	Kim	A61N 1/36071 607/60
2012/0069131 A1*	3/2012	Abelow	G06Q 10/067 348/14.01
2013/0124953 A1*	5/2013	Fan	G06F 17/212 715/202

OTHER PUBLICATIONS

Epmotion 96: effektiveres Arbeiten mit 96-Well-Platten , posted Aug. 25, 2014, [retrieved Jun. 21, 2016]. Retrieved from Internet, <URL: <http://www.git-labor.de/produkte/analyseautomation/epmotion-96-effektiveres-arbeiten-mit-96-well-platten> >.*

(Continued)

Primary Examiner — Barbara Fox

Assistant Examiner — Kristin E Reed

(74) *Attorney, Agent, or Firm* — White & Case LLP

(57) **CLAIM**

The ornamental design for a an automatic pipette displaying a graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an automatic pipette displaying a graphical user interface showing the new design in a first embodiment;

FIG. 2 is an enlarged front view of the graphical user interface of FIG. 1;



FIG. 3 is an enlarged front view of a second embodiment of the graphical user interface of FIG. 1;

FIG. 4 is an enlarged front view of a third embodiment of the graphical user interface of FIG. 1; and,

FIG. 5 is an enlarged front view of a fourth embodiment of the graphical user interface of FIG. 1.

The broken lines shown in FIG. 1 are for the purposes of illustrating structure that is not part of the claimed design, but is considered necessary to show the environment in which the design is associated and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Pipette Guide 24s, posted Aug. 21, 2012, [retrieved Jun. 21, 2016]. Retrieved from Internet, <URL: <https://itunes.apple.com/us/app/pipette-guide-24s/id551022167?mt=8> >.*

epMotion® 96—product brochure, posted date not given, [retrieved Jun. 21, 2016]. Retrieved from Internet, <URL: <https://online-shop.ependorf.us/US-en/Automated-Pipetting-44509/Liquid-Handling-Workstations-44510/ep96-PF-91449.html> >.*

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5