



US00D771824S

(12) **United States Design Patent** (10) **Patent No.:** **US D771,824 S**
Minoli (45) **Date of Patent:** **** Nov. 15, 2016**

(54) **WEARABLE SENSOR**

(71) Applicant: **Andre Minoli**, Baltimore, MD (US)

(72) Inventor: **Andre Minoli**, Baltimore, MD (US)

(73) Assignee: **Zansors, LLC**, Tysons, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/533,252**

(22) Filed: **Jul. 15, 2015**

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**

USPC **D24/187**; D10/65; D10/70; D10/97;
D10/98; D14/203.5; D24/167

(58) **Field of Classification Search**

USPC D10/65, 70, 97, 98, 103; D14/203.5;
D24/167, 168, 186, 187

CPC A61B 5/6801; A61B 5/6802; A61B 5/6813;
A61B 5/6814; A61B 5/6815; A61B 5/6816;
A61B 5/6817; A61B 5/6818; A61B 5/6819;
A61B 5/6822; A61B 5/6823; A61B 5/6824;
A61B 5/6825; A61B 5/6826; A61B 5/6828;
A61B 5/6829

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D693,248 S *	11/2013	Anderssen	D10/65
D717,680 S *	11/2014	Park	D10/70
D726,924 S *	4/2015	Tseng	D24/186
D730,223 S *	5/2015	Behar	D10/103
D730,224 S *	5/2015	Behar	D10/103
D730,761 S *	6/2015	Spaeth	D10/70
D733,596 S *	7/2015	Goodner	D10/70
D736,107 S *	8/2015	Lee	D10/70
D739,942 S *	9/2015	Pernu	D24/167
D743,819 S *	11/2015	Golnik	D10/70

9,237,869 B1 *	1/2016	Lee	A61B 5/6804
D753,832 S *	4/2016	Lin	D24/186
D755,396 S *	5/2016	Rechberg	D24/186
D757,275 S *	5/2016	Lee	D24/187
9,332,940 B1 *	5/2016	Bologna	A61B 5/6802

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Whitham, Curtis & Cook, P.C.



(57) **CLAIM**

I claim the ornamental design for wearable sensor, as shown and described.

DESCRIPTION

FIG. 1 is a rear elevation view of a wearable sensor;
 FIG. 2 is a front elevation view of the wearable sensor;
 FIG. 3 is a top plan view of the wearable sensor, the mirror image of which is a bottom plan view;
 FIG. 4 is a rear isometric view of the wearable sensor;
 FIG. 5 is a front isometric view of the wearable sensor;
 FIG. 6 is a right side elevation view of the wearable sensor, the mirror image of which is a left side elevation view;
 FIG. 7 is a front elevation view of the wearable sensor docked on a stand;
 FIG. 8 is an isometric view of the wearable sensor docked on the stand;
 FIG. 9 is another isometric view of the wearable sensor docked on the stand;
 FIG. 10 is a right side elevation view of the wearable sensor docked on the stand, the mirror image of which is a left side elevation view; and,
 FIG. 11 is a view of the wearable sensor worn by a person. The broken lines illustrate environmental structure and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Figure 1




Figure 4




Figure 2



Figure 5




Figure 3




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11