



US00D771913S

(12) **United States Design Patent**
Hernandez, Jr.

(10) **Patent No.:** **US D771,913 S**

(45) **Date of Patent:** **** Nov. 22, 2016**

- (54) **RALLY CAP**
 - (71) Applicant: **Club Capadopia LLC**, Secaucus, NJ (US)
 - (72) Inventor: **Samuel Hernandez, Jr.**, Secaucus, NJ (US)
 - (73) Assignee: **Club Capadopia LLC**, Secaucus, NJ (US)
 - (**) Term: **14 Years**
 - (21) Appl. No.: **29/508,583**
 - (22) Filed: **Nov. 7, 2014**
 - (51) **LOC (10) Cl.** **02-03**
 - (52) **U.S. Cl.**
USPC **D2/882**
 - (58) **Field of Classification Search**
USPC D2/865, 866, 869, 871, 872, 874, 875, D2/876, 877, 881, 882, 884, 890, 891, 892, D2/893, 867, 886, 888, 889, 978
CPC A42B 1/004; A42B 1/006; A42B 1/02; A42B 1/062; A42B 1/22; A42B 3/145; A42B 1/225; A42B 1/241; A42B 1/066; A42B 1/206
- See application file for complete search history.

5,471,684 A	12/1995	Casale	
5,539,929 A *	7/1996	Revson	A42B 1/241 2/175.1
D406,189 S	3/1999	Hosogai	
5,875,494 A	3/1999	Garnier, Jr. et al.	
D413,191 S	8/1999	Thomas	
D423,196 S	4/2000	White	
D424,282 S	5/2000	Crumpton et al.	
6,560,785 B1	5/2003	Taguchi	
D488,293 S	4/2004	Norway, Jr.	
D504,003 S	4/2005	Lee	
6,948,189 B2	9/2005	Early	
D534,347 S *	1/2007	Prentice	D3/238
D535,459 S	1/2007	Cordes et al.	
D552,830 S *	10/2007	Irwin	D2/882
D568,029 S	5/2008	Niles	
D568,583 S	5/2008	Niles	
D572,438 S	7/2008	Chung	
D593,732 S *	6/2009	Tilley	D2/886
D601,331 S *	10/2009	Hayashida	D2/891
D619,786 S *	7/2010	Rhodes	D2/867
7,917,970 B2	4/2011	Shimshony	
D662,694 S	7/2012	Connolly	
D707,018 S	6/2014	Hart et al.	
D713,622 S *	9/2014	Steel	D2/866
2003/0088904 A1 *	5/2003	Taguchi	A42B 1/206 2/171
2006/0143776 A1	7/2006	Hosogai	
2007/0061944 A1	3/2007	Briskie	
2007/0256213 A1	11/2007	Dunavin	
2011/0173739 A1	7/2011	Riesen et al.	
2012/0174288 A1 *	7/2012	Kovalov	A42B 1/006 2/209.12
2013/0007944 A1	1/2013	Touray	
2013/0074246 A1	3/2013	Rogers	
2013/0125291 A1	5/2013	Davidson et al.	
2013/0276209 A1	10/2013	Lim	
2014/0082826 A1	3/2014	Kuthari	
2014/0130235 A1	5/2014	Johnson	

(56) **References Cited**

U.S. PATENT DOCUMENTS



1,232,992 A	7/1917	Stering	
1,879,104 A *	9/1932	Cooper	A42B 1/066 2/6.2
2,066,713 A *	1/1937	Bowland	A42C 3/06 2/171
2,106,571 A	1/1938	Lipton	
2,275,693 A *	3/1942	Soboroff	A42B 1/066 2/172
2,275,694 A	3/1942	Soboroff	
D160,404 S *	10/1950	Levine	2/195.1
2,556,576 A	6/1951	De Carolis	
D340,344 S	10/1993	McPherson	
D346,689 S	5/1994	Dwyer	
5,321,854 A	6/1994	Kronenberger	

FOREIGN PATENT DOCUMENTS

JP	H02-17525 U	2/1990
JP	2010-156092 A	7/2010
JP	D1538628 *	11/2015

OTHER PUBLICATIONS

Instagram photo taken by capadopia—INK361 (on-line), dated Mar. 3, 2015. Retrieved from Internet Jan. 5, 2016, URL: >http://ink361.com/app/users/ig-1578198656/capadopia/photos/ig-931271052170438064_1578198656< (11 pages).*



Two mages of headwear caps on Facebook page for Capadopia [on-line]. Posted to the Internet on Feb. 14, 2014 and Feb. 17, 2014, respectively; retrieved from the Internet on Feb. 4, 2016. URL: ><https://www.facebook.com/Capadopia-240698509436389/>< (8 pages).*

<http://www.amazon.com/Greg-Norman-Womens-Ponytail-Zipper/dp/B00HYZC8U4>; Greg Norman Women's Ponytail Zipper Cap; Interest-Based Ads © 1996-2014, Amazon.com; printed Jul. 15, 2014.

Examiner's report in corresponding CA app. No. 161404 dated Jul. 6, 2015.

Examiner's report with Notice of Allowance in corresponding CN app. No. 2015300836076 dated Sep. 22, 2015.

* cited by examiner

Primary Examiner — Karen E. Eldridge Powers

Assistant Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Walter Haverfield LLP; Sean F. Mellino; D. Peter Hochberg

(57) **CLAIM**

The ornamental design for a rally cap, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of the rally cap according to the present invention;

FIG. 2 is a rear perspective view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1 with the closure device in an open position;

FIG. 3 is a front elevation view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1;

FIG. 4 is a rear elevation view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1 with the closure device in an open position;

FIG. 5 is a side elevation view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1;

FIG. 6 is a side elevation view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1, shown from the opposing side view as that shown in FIG. 5;

FIG. 7 is a top plan view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1 with the closure device in an open position;

FIG. 8 is a bottom plan view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1 with the closure device in an open position;

FIG. 9 is a rear perspective view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1 with the closure device in a closed position;

FIG. 10 is a bottom plan view of a first embodiment of the rally cap according to the present invention as shown in FIG. 1 with the closure device in a closed position;

FIG. 11 is a rear perspective view of a second embodiment of the rally cap according to the present invention as shown in FIGS. 1-10 with the closure device in an open position, it being understood that the portions shown in broken lines and lettering are for the purposes of illustrating environment and form no part of the design sought to be patented; and,

FIG. 12 is a top plan view of a second embodiment of the rally cap according to the present invention as shown in FIGS. 1-10 with the closure device in an open position, it being understood that the portions shown in broken lines and lettering are for the purposes of illustrating environment and form no part of the design sought to be patented.

The broken lines that represent stitching form no part of the claimed design.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12