



US00D772153S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,153 S**
Oraison et al. (45) **Date of Patent:** **** Nov. 22, 2016**

(54) **TIRE TREAD**

(56) **References Cited**

(71) Applicants: **COMPAGNIE GENERALE DES
ETABLISSEMENTS MICHELIN,**
Clermont-Ferrand (FR); **Michelin
Recherche et Technique S.A.,**
Granges-Paccot (CH)

(72) Inventors: **Stéphane Oraison,** Clermont-Ferrand
(FR); **Alexandre Carloni,**
Clermont-Ferrand (FR)

(73) Assignees: **COMPAGNIE GENERALE DES
ETABLISSEMENTS MICHELIN**
(FR); **MICHELIN RECHERCHE ET
TECHNIQUE S.A.** (CH)

U.S. PATENT DOCUMENTS

D303,944 S	*	10/1989	Himuro	D12/596
D393,236 S	*	4/1998	Rowe	D12/602
D444,109 S	*	6/2001	De Coninck	D12/602
D469,737 S	*	2/2003	Guidry	D12/596
D512,684 S	*	12/2005	Robert	D12/583
D548,174 S	*	8/2007	Souchet	D12/602
D631,002 S	*	1/2011	Cazin-Bourguignon	D12/583
D641,314 S	*	7/2011	Strader	D12/583
D645,398 S	*	9/2011	Kiwaki	D12/602
D710,296 S	*	8/2014	Bani Hani	D12/583
D717,240 S	*	11/2014	Buchinger-Barnstorf ...	D12/602
D758,296 S	*	6/2016	Oraison	D12/602

* cited by examiner

Primary Examiner — Robert M Spear

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(**) Term: **15 Years**

(21) Appl. No.: **29/537,004**

(22) Filed: **Aug. 21, 2015**

(30) **Foreign Application Priority Data**

Feb. 24, 2015 (FR) 2015-0898

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/602**

(58) **Field of Classification Search**
USPC D12/559, 560, 564, 570, 574, 581, 582,
D12/583, 584, 585, 586, 588, 589, 590, 591,
D12/594, 595, 596, 598, 60, 601, 602, 603
CPC ... B60C 11/03; B60C 11/0306; B60C 11/11;
B60C 11/12; B60C 11/0311; B60C 11/0346;
B60C 11/0386

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the tire tread of our design; FIG. 2 is a front elevation view of the tire tread of our design;

FIG. 3 is a side elevation view of the tire tread of our design; FIG. 4 is a side elevation view of the tire tread of our design, taken from the opposite side of that shown in FIG. 3; and, FIG. 5 is an enlarged, partial view of FIG. 1.

In the drawings, the broken lines depict environmental subject matter that forms no part of the claimed design. The dash-dot lines represent the peripheral boundary of the claimed design. The tread pattern is understood to repeat uniformly throughout the circumference of the tire.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5