



US00D772339S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,339 S**  
**Wessel, IV** (45) **Date of Patent:** **\*\* Nov. 22, 2016**

(54) **KEY TAG** 2005/0264089 A1\* 12/2005 Chang ..... A47K 7/02  
300/21

(71) Applicant: **Homer A Wessel, IV**, Royal Palm Beach, FL (US) \* cited by examiner

(72) Inventor: **Homer A Wessel, IV**, Royal Palm Beach, FL (US) *Primary Examiner* — Mary Ann Calabrese  
(74) *Attorney, Agent, or Firm* — Allen D. Hertz, P.A.; Allen D. Hertz

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/508,395**

(22) Filed: **Nov. 5, 2014**

(51) **LOC (10) Cl.** ..... **19-08**

(52) **U.S. Cl.**  
USPC ..... **D20/27**

(58) **Field of Classification Search**  
USPC ..... D20/10, 19, 22–29, 40, 99; D10/106.9; D8/354, 356, 358, 382; D6/682.4; D9/434, 457; D28/73  
CPC ..... G09F 3/00; G09F 3/04; G09F 3/08; G09F 3/16; G09F 2003/0264; G09F 2003/0266; G09F 2003/0267; A47C 31/02; A01K 97/06; A61B 17/06133; B65D 73/0007  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,755,903 A \* 4/1930 Townsend ..... A01K 97/06  
43/57.1
- 1,837,775 A \* 12/1931 Howard ..... A47C 31/02  
112/417
- 4,258,843 A \* 3/1981 Wymer ..... A61B 17/06133  
206/388
- D331,698 S \* 12/1992 Pezzoli ..... D9/434
- D347,989 S \* 6/1994 DeWard ..... D3/23
- 5,526,931 A \* 6/1996 White ..... B65D 73/0007  
206/388
- D386,408 S \* 11/1997 Wasielewski ..... D9/434
- D410,767 S \* 6/1999 Carroll ..... D28/73
- D422,894 S \* 4/2000 Kubica ..... D8/382
- D486,724 S \* 2/2004 Bently ..... D8/354
- D680,773 S \* 4/2013 Tebbe ..... D6/682.4
- 8,458,951 B2 \* 6/2013 Taylor ..... A01K 97/06  
43/54.1


(57) **CLAIM**  
I claim the ornamental design for a key tag, as shown and described.


**DESCRIPTION**

FIG. 1 is a top isometric view of a first embodiment of a key tag;  
 FIG. 2 is a bottom isometric view thereof;  
 FIG. 3 is a front view thereof;  
 FIG. 4 is a rear view thereof;  
 FIG. 5 is a top view thereof;  
 FIG. 6 is a right side view thereof;  
 FIG. 7 is a bottom view thereof;  
 FIG. 8 is a left side view thereof;  
 FIG. 9 is a top isometric view thereof, shown in use, wherein a key is attached to the key tag using a key ring;  
 FIG. 10 is a top isometric view thereof, shown in an alternate use, wherein a key fob is attached to the key tag using elastic bands;  
 FIG. 11 is a top isometric view of a second embodiment of a key tag;  
 FIG. 12 is a bottom isometric view thereof;  
 FIG. 13 is a front view thereof;  
 FIG. 14 is a rear view thereof;  
 FIG. 15 is a top view thereof;  
 FIG. 16 is a right side view thereof;  
 FIG. 17 is a bottom view thereof; and,  
 FIG. 18 is a left side view thereof.

The broken lines shown on the key tag represent portions of the key tag that form no part of the claim. All other broken lines illustrate environment that forms no part of the claimed design.

**1 Claim, 12 Drawing Sheets**





**FIG. 1**







FIG. 2



**FIG. 3**



**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 8**



**FIG. 7**




**FIG. 9**




**FIG. 10**







**FIG. 11**




**FIG. 12**




**FIG. 13**



**FIG. 14**




**FIG. 15**



**FIG. 16**



**FIG. 18**



**FIG. 17**