



US00D772410S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,410 S**  
**Huelskamp et al.** (45) **Date of Patent:** **\*\* \*Nov. 22, 2016**

- (54) **HERNIA MESH**
- (71) Applicants: **BG MEDICAL, LLC**, Barrington, IL (US); **Aspide Medical**, La Talaudière (FR)
- (72) Inventors: **John W. Huelskamp**, Barrington, IL (US); **Eric Nelson**, Barrington, IL (US); **Eric Bouillet**, Barrington, IL (US); **William Wiecek**, Barrington, IL (US)
- (73) Assignees: **BG Medical, LLC**, Barrington, IL (US); **Aspide Medical**, La Talaudière (FR)

6,174,320	B1 *	1/2001	Kugel et al. ....	606/151
6,176,863	B1 *	1/2001	Kugel et al. ....	606/151
6,224,616	B1	5/2001	Kugel	
D445,188	S *	7/2001	Walter .....	D24/155
6,280,453	B1 *	8/2001	Kugel et al. ....	606/151
6,290,708	B1	9/2001	Kugel et al.	
6,420,622	B1 *	7/2002	Johnston et al. ....	602/41
6,790,213	B2	9/2004	Cherok et al.	
7,396,975	B2	7/2008	Sigurjonsson et al.	
8,182,545	B2 *	5/2012	Cherok et al. ....	623/23.72
2003/0130745	A1	7/2003	Cherok et al.	
2012/0232334	A1 *	9/2012	Bell et al. ....	600/37
2013/0267970	A1 *	10/2013	Cardinale et al. ....	606/151
2015/0012019	A1 *	1/2015	Huelskamp et al. ....	606/151

\* cited by examiner

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/462,510**

(22) Filed: **Aug. 5, 2013**

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/145; D24/189**

(58) **Field of Classification Search**  
USPC ..... 600/37; 606/148, 151, 213; 623/1.1, 8, 623/23.72, 23.74; 602/41, 57-59; 128/888-892

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

751,415	A *	2/1904	Prindle .....	128/890
2,330,693	A *	9/1943	Erdely .....	128/888
4,333,471	A *	6/1982	Nakai .....	450/81
5,264,218	A *	11/1993	Rogozinski .....	424/445
5,634,931	A *	6/1997	Kugel .....	606/151
5,769,864	A	6/1998	Kugel	
D399,965	S *	10/1998	Laughlin et al. ....	D24/189
D403,774	S *	1/1999	Laughlin et al. ....	D24/189
5,916,225	A	6/1999	Kugel	
D416,327	S *	11/1999	Kugel .....	D24/189
6,171,318	B1	1/2001	Kugel et al.	

**FOREIGN PATENT DOCUMENTS**

CA	2201439	7/2004
EP	0783270	6/2004
WO	WO 2010/039249	4/2010

*Primary Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Pandiscio & Pandiscio

(57) **CLAIM**

The ornamental design for a hernia mesh, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of the hernia mesh of the present invention;  
 FIG. 2 is a front view of the hernia mesh of FIG. 1;  
 FIG. 3 is a rear view of the hernia mesh of FIG. 1;  
 FIG. 4 is a right side view, in elevation, of the hernia mesh of FIG. 1, taken from the frame of reference of FIG. 2;  
 FIG. 5 is a left side view, in elevation, of the hernia mesh of FIG. 1, taken from the frame of reference of FIG. 2;  
 FIG. 6 is a top end view, in elevation, of the hernia mesh of FIG. 1, taken from the frame of reference of FIG. 2;  
 FIG. 7 is a bottom end view, in elevation, of the hernia mesh of FIG. 1, taken from the frame of reference of FIG. 2;  
 FIG. 8 is a perspective view of a second embodiment of the hernia mesh of the present invention;  
 FIG. 9 is a front view of the hernia mesh of FIG. 8;  
 FIG. 10 is a rear view of the hernia mesh of FIG. 8;




FIG. 11 is a right side view, in elevation, of the hernia mesh of FIG. 8, taken from the frame of reference of FIG. 9;  
FIG. 12 is a left side view, in elevation, of the hernia mesh of FIG. 8, taken from the frame of reference of FIG. 9;  
FIG. 13 is a top end view, in elevation, of the hernia mesh of FIG. 8, taken from the frame of reference of FIG. 9;  
FIG. 14 is a bottom end view, in elevation, of the hernia mesh of FIG. 8, taken from the frame of reference of FIG. 9;  
FIG. 15 is a perspective view of a third embodiment of the hernia mesh of the present invention;  
FIG. 16 is a front view of the hernia mesh of FIG. 15;  
FIG. 17 is a rear view of the hernia mesh of FIG. 15;  
FIG. 18 is a right side view, in elevation, of a the hernia mesh of FIG. 15, taken from the frame of reference of FIG. 16;  
FIG. 19 is a left side view, in elevation, of the hernia mesh of FIG. 15, taken from the frame of reference of FIG. 16;  
FIG. 20 is a top end view, in elevation, of the hernia mesh of FIG. 15, taken from the frame of reference of FIG. 16;

FIG. 21 is a bottom end view, in elevation, of the hernia mesh of FIG. 15, taken from the frame of reference of FIG. 16;  
FIG. 22 is a perspective view of a fourth embodiment of the hernia mesh of the present invention;  
FIG. 23 is a front view of the hernia mesh of FIG. 22;  
FIG. 24 is a rear view of the hernia mesh of FIG. 22;  
FIG. 25 is a right side view, in elevation, of the hernia mesh of FIG. 22, taken from the frame of reference of FIG. 23;  
FIG. 26 is a left side view, in elevation, of the hernia mesh of FIG. 22, taken from the frame of reference of FIG. 23;  
FIG. 27 is a top end view, in elevation, of the hernia mesh of FIG. 22, taken from the frame of reference of FIG. 23;  
and,  
FIG. 28 is a bottom end view, in elevation, of the hernia mesh of FIG. 22, taken from the frame of reference of FIG. 23.  
The broken lines are included for the purpose of illustrating unclaimed portions of the hernia mesh and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19




FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24



FIG. 25



FIG. 26




FIG. 27




FIG. 28