

### (12) United States Design Patent (10) Patent No.: US D772,445 S \*\* Nov. 22, 2016 (45) **Date of Patent:** Ding

### **VEHICLE LIGHT SET** (54)

- Applicant: Thunder Power Hong Kong Ltd., (71)Taipei (TW)
- Jiawei Ding, Taoyuan (TW) Inventor: (72)
- Assignee: THUNDER POWER HONG KONG (73)LTD., Taipei (TW)

D683,872 S	*	6/2013	Munson D26/28
D692,598 S	*	10/2013	Davis D26/28
D736,451 S	*	8/2015	Smith D26/120
D737,481 S	*	8/2015	Thole D26/28

\* cited by examiner

Primary Examiner — Marcus Jackson (74) Attorney, Agent, or Firm — Kilpatrick Townsend & Stockton LLP

	17	r 1		ALC: N	
r .	1		 - I'		

(\*\*) Term: 14 Years

- Appl. No.: 29/526,320 (21)
- (22)Filed: May 8, 2015
- (51)U.S. Cl.
- (52)USPC ..... D26/28
- Field of Classification Search (58)USPC ...... D26/28–36; 362/61, 80–83, 267–269, 362/459-468, 475-478, 485-487 F21S 48/225; F21S 48/1233; F21S 48/1266; F21S 48/1388; F21S 48/2268; F21V 5/00; B60Q 1/02; B60Q 1/04

See application file for complete search history.

(56)**References Cited** 

## U.S. PATENT DOCUMENTS

D301,629 S	*	6/1989	Jiroubou	 D26/28
D302 320 S	*	7/1989	Tovota	D26/28

(57)CLAIM The ornamental design for a vehicle light set, as shown and described.

### DESCRIPTION

FIG. 1 is a front view of a vehicle light set; FIG. 2 is a back view of a vehicle light set; FIG. 3 is a perspective view of the headlight; FIG. 4 is a left side view of the headlight; FIG. 5 is a right side view of the headlight; FIG. 6 is a top view of the headlight; FIG. 7 is a bottom view of the headlight; FIG. 8 is a perspective view of the taillight; FIG. 9 is a left side view of the taillight; FIG. 10 is a right side view of the taillight; FIG. 11 is a top view of the taillight; and, FIG. 12 is a bottom view of the taillight. This product is a light set including a barbed-shaped headlight and a barbed-shaped taillight which echo with each other, to increase the aesthetic appeal of the vehicle.

## 1 Claim, 12 Drawing Sheets





# U.S. Patent Nov. 22, 2016 Sheet 1 of 12 US D772,445 S





Fig. 1

## U.S. Patent Nov. 22, 2016 Sheet 2 of 12 US D772,445 S





Fig. 2

#### U.S. Patent US D772,445 S Nov. 22, 2016 Sheet 3 of 12





# Fig. 3

# U.S. Patent Nov. 22, 2016 Sheet 4 of 12 US D772,445 S





Fig. 4

### **U.S.** Patent US D772,445 S Nov. 22, 2016 Sheet 5 of 12



Fig. 5

# U.S. Patent Nov. 22, 2016 Sheet 6 of 12 US D772,445 S



Fig. 6

### **U.S.** Patent US D772,445 S Nov. 22, 2016 Sheet 7 of 12





# U.S. Patent Nov. 22, 2016 Sheet 8 of 12 US D772,445 S



Fig. 8

# U.S. Patent Nov. 22, 2016 Sheet 9 of 12 US D772,445 S





Fig. 9

### **U.S.** Patent US D772,445 S Nov. 22, 2016 Sheet 10 of 12



Fig. 10

# U.S. Patent Nov. 22, 2016 Sheet 11 of 12 US D772,445 S



Fig. 11

# U.S. Patent Nov. 22, 2016 Sheet 12 of 12 US D772,445 S



Fig. 12