



US00D772604S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,604 S**  
**Evans** (45) **Date of Patent:** **\*\* Nov. 29, 2016**

(54) **RECESSED FIRE EXTINGUISHER CABINET** 3,722,733 A \* 3/1973 Neumann ..... A62C 13/78  
169/51  
(71) Applicant: **Acorn Engineering Company**, City of 4,076,350 A 2/1978 Crist  
Industry, CA (US) D250,377 S 11/1978 Dooley et al.  
D314,113 S 1/1991 Hanfling  
(72) Inventor: **Edwin Evans**, Irvine, CA (US) D321,451 S \* 11/1991 Greve ..... D6/559  
D400,930 S 11/1998 Smith  
D416,736 S \* 11/1999 Bergin ..... D6/559  
(73) Assignee: **Acorn Engineering Co.**, City of D436,480 S \* 1/2001 Winter ..... D6/559  
Industry, CA (US) D497,069 S \* 10/2004 Aisley ..... D6/559  
D544,277 S \* 6/2007 Hoyvik ..... D6/559  
D547,101 S 7/2007 Walker  
D640,081 S 6/2011 Huddleston  
D668,080 S 10/2012 Doron

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/474,792** \* cited by examiner

(22) Filed: **Feb. 10, 2015**

(51) **LOC (10) Cl.** ..... **06-04**

(52) **U.S. Cl.**  
USPC ..... **D6/559**

(58) **Field of Classification Search**  
USPC ..... D6/559, 329, 406.3, 553, 561, 634, 659,  
D6/660, 661, 662, 663; 312/209, 224, 225,  
312/234, 242, 245; 206/312, 320, 823  
CPC .. A47B 43/00; A47B 43/04; A47B 47/0066;  
A47B 47/04; A47B 63/00; A47B 69/00;  
A47B 71/00; B65D 51/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |             |
|------------|---------|-------------|
| D83,828 S  | 3/1931  | Noble       |
| D113,874 S | 3/1939  | Miller      |
| D144,594 S | 4/1946  | Simpson     |
| D179,872 S | 3/1957  | Wrablica    |
| D205,354 S | 7/1966  | Shone       |
| D220,762 S | 5/1971  | Dial et al. |
| D224,592 S | 8/1972  | Fudge       |
| D225,162 S | 11/1972 | Blendl      |

*Primary Examiner* — Wan Laymon  
*Assistant Examiner* — Mark Booker

(74) *Attorney, Agent, or Firm* — William S. Ramsey


(57) **CLAIM**

The ornamental design for a recessed fire extinguisher cabinet, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a recessed fire extinguisher cabinet showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof; the left side elevational view is a mirror image of the right side; and,  
FIG. 4 is a top side plan view thereof, the bottom side plan view is a mirror image of the top side.  
The back side of the recessed fire extinguisher cabinet is unornamented.  
The broken line showing of the recessed fire extinguisher cabinet is included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4