



US00D772604S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,604 S**
Evans (45) **Date of Patent:** **** Nov. 29, 2016**

- | | | | | | |
|--|---------------|---------|---------------|-------|----------------------|
| (54) RECESSED FIRE EXTINGUISHER CABINET | 3,722,733 A * | 3/1973 | Neumann | | A62C 13/78 169/51 |
| (71) Applicant: Acorn Engineering Company , City of Industry, CA (US) | 4,076,350 A | 2/1978 | Crist | | |
| | D250,377 S | 11/1978 | Dooley et al. | | |
| | D314,113 S | 1/1991 | Hanfling | | |
| (72) Inventor: Edwin Evans , Irvine, CA (US) | D321,451 S * | 11/1991 | Greve | | D6/559 |
| | D400,930 S | 11/1998 | Smith | | |
| | D416,736 S * | 11/1999 | Bergin | | D6/559 |
| (73) Assignee: Acorn Engineering Co. , City of Industry, CA (US) | D436,480 S * | 1/2001 | Winter | | D6/559 |
| | D497,069 S * | 10/2004 | Aisley | | D6/559 |
| | D544,277 S * | 6/2007 | Hoyvik | | D6/559 |
| | D547,101 S | 7/2007 | Walker | | |
| (**) Term: 14 Years | D640,081 S | 6/2011 | Huddleston | | |
| | D668,080 S | 10/2012 | Doron | | |

(21) Appl. No.: **29/474,792**

* cited by examiner

(22) Filed: **Feb. 10, 2015**

Primary Examiner — Wan Laymon

(51) **LOC (10) Cl.** **06-04**

Assistant Examiner — Mark Booker

(52) **U.S. Cl.**
USPC **D6/559**

(74) *Attorney, Agent, or Firm* — William S. Ramsey

(58) **Field of Classification Search**
 USPC D6/559, 329, 406.3, 553, 561, 634, 659,
 D6/660, 661, 662, 663; 312/209, 224, 225,
 312/234, 242, 245; 206/312, 320, 823
 CPC .. A47B 43/00; A47B 43/04; A47B 47/0066;
 A47B 47/04; A47B 63/00; A47B 69/00;
 A47B 71/00; B65D 51/00
 See application file for complete search history.

(57) **CLAIM**

The ornamental design for a recessed fire extinguisher cabinet, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a recessed fire extinguisher cabinet showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a right side elevational view thereof; the left side elevational view is a mirror image of the right side; and,
 FIG. 4 is a top side plan view thereof, the bottom side plan view is a mirror image of the top side.
 The back side of the recessed fire extinguisher cabinet is unornamented.
 The broken line showing of the recessed fire extinguisher cabinet is included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- | | | |
|------------|---------|-------------|
| D83,828 S | 3/1931 | Noble |
| D113,874 S | 3/1939 | Miller |
| D144,594 S | 4/1946 | Simpson |
| D179,872 S | 3/1957 | Wrablica |
| D205,354 S | 7/1966 | Shone |
| D220,762 S | 5/1971 | Dial et al. |
| D224,592 S | 8/1972 | Fudge |
| D225,162 S | 11/1972 | Blendl |

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4