

US00D772706S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,706 S**
Zhang et al. (45) **Date of Patent:** **** Nov. 29, 2016**

(54) **TWIN HEAD CAP**

(71) Applicant: **BEIJING AUSTAR HANSEN
PACKAGING TECHNOLOGY LTD.,**
Beijing (CN)

(72) Inventors: **Wenfang Zhang**, Beijing (CN);
Weidong Zhang, Beijing (CN); **Aimin
Liang**, Beijing (CN); **Jiandong Liu**,
Beijing (CN)

(73) Assignee: **RENOLIT HANSEN PACKAGING
TECH. (BJ) LTD.,** Beijing (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/512,690**

(22) Filed: **Dec. 22, 2014**

(30) **Foreign Application Priority Data**

Jul. 2, 2014 (CN) 2014 3 0217492

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/447; D9/434; D9/435**

(58) **Field of Classification Search**

USPC D3/202, 203.1, 203.2, 273, 275, 294,
D3/318; D7/216, 300, 300.1, 317, 387,
D7/391, 392.1, 393, 396.2, 509, 510, 511,
D7/523, 525-531, 538, 541, 549, 629, 703,
D7/900; D8/349, 350, 352; D10/123, 126;
D16/134, 136, 218, 235, 241, 250;
D19/115, 162, 163, 165, 192, 194;
D24/112, 121, 127, 199, 224; D26/36,
D26/123, 124; D28/7, 76, 78, 82, 85, 91;
D32/53.1, 54; D34/1, 7, 10, 11, 39;
604/403, 404, 411; 422/103; 239/327;
222/81, 83, 109, 153.01, 158, 192,
222/205, 209, 211, 519, 522, 533, 556;
220/26, 266, 254.1, 254.4, 259.3, 288,
220/695, 702, 715, 793, 805, 837, 915, 660,
220/669, 675; 215/6, 10, 12.1, 200, 201,
215/206, 209, 216, 218, 226, 235, 236, 247,
215/305, 306, 307, 311, 379, 381-386, 390,
215/392, 687
CPC B65D 50/041; B65D 23/00; B65D 1/00;
B65D 1/0009; B65D 83/06; A47G 18/22;
A47G 18/23

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D443,496 S * 6/2001 DeCosse D8/300
D511,456 S 11/2005 Forte

(Continued)

FOREIGN PATENT DOCUMENTS

AU 158332 S 10/2005

Primary Examiner — Thomas Johannes

Assistant Examiner — Catherine Posthauer

(74) *Attorney, Agent, or Firm* — Paul D. Strain, Esq.;
Strain & Strain PLLC



(57) **CLAIM**

The ornamental design for a twin head cap, as shown.

DESCRIPTION

FIG. 1 is a top perspective view of the twin head cap showing our new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a top perspective view of an alternate embodiment of a twin head cap;
FIG. 10 is a bottom perspective view thereof;
FIG. 11 is a front elevation view thereof;
FIG. 12 is a rear elevation view thereof;
FIG. 13 is a left side elevation view thereof;
FIG. 14 is a right side elevation view thereof;
FIG. 15 is a top plan view thereof; and,
FIG. 16 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D526,186 S * 8/2006 Haug D8/307

D544,353 S * 6/2007 Dodd D9/516

D561,587 S * 2/2008 Lin D9/453

D577,538 S * 9/2008 Suh D7/393

D577,983 S * 10/2008 Martin D8/311

D646,950 S * 10/2011 Going D8/307

D667,959 S * 9/2012 Lin D24/224

8,720,715 B2 * 5/2014 Mader A61J 1/1406
215/247

D733,554 S * 7/2015 Rubinstein D9/416

2013/0037509 A1 * 2/2013 Rahimy A61J 1/1412
215/247

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16