



US00D772742S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,742 S**
Huang (45) **Date of Patent:** **** Nov. 29, 2016**

(54) **INTERACTIVE TEST PROBE FOR BATTERY TESTER**

(71) Applicant: **Fluke Precision Measurement Ltd.**,
Norwich, Norfolk (GB)

(72) Inventor: **Wei Huang**, Shanghai (CN)

(73) Assignee: **Fluke Precision Measurement Ltd.**,
Norwich (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/554,225**

(22) Filed: **Feb. 9, 2016**

Related U.S. Application Data

(63) Continuation of application No. 29/497,388, filed on
Jul. 23, 2014, now Pat. No. Des. 750,987.

(30) **Foreign Application Priority Data**

Jan. 24, 2014 (CN) 2014 3 0021279

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/80; D10/77**

(58) **Field of Classification Search**

USPC D10/77, 80
CPC G01R 1/073; G01R 1/07307; G01R
1/07314; G01R 1/07321; G01R 1/07328;
G01R 1/07335; G01R 1/07342; G01R
1/0735; G01R 1/07357; G01R 1/07364;
G01R 1/07371; G01R 1/07378; G01R
1/07385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,136,234 A	8/1992	Shaw	
D474,415 S	5/2003	Kirsch	
9,030,220 B2	5/2015	Laurino et al.	
D750,987 S *	3/2016	Huang	D10/80
2009/0267590 A1	10/2009	Atta et al.	
2011/0309853 A1	12/2011	Tan	
2013/0320962 A1	12/2013	Rother et al.	

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Seed IP Law Group LLP

(57) **CLAIM**

The ornamental design for an interactive test probe for a battery tester, as shown and described.

DESCRIPTION

FIG. 1 is a top front right perspective view of an interactive test probe for a battery tester showing my new design.

FIG. 2 is a top rear left perspective view thereof.

FIG. 3 is a top plan view thereof.

FIG. 4 is a bottom plan view thereof.

FIG. 5 is a front elevational view thereof.

FIG. 6 is a rear elevational view thereof.

FIG. 7 is a left side elevational view thereof.

FIG. 8 is a right side elevational view thereof.

FIG. 9 is a top front right perspective view of another embodiment of the interactive test probe for a battery tester shown in FIG. 1.

FIG. 10 is a top rear left perspective view thereof.

FIG. 11 is a top plan view thereof.

FIG. 12 is a bottom plan view thereof.


FIG. 13 is a front elevational view thereof.

FIG. 14 is a rear elevational view thereof.

FIG. 15 is a left side elevational view thereof; and,

FIG. 16 is a right side elevational view thereof.

1 Claim, 12 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.



Fig. 15.




Fig. 16.