

US00D772808S

(12) **United States Design Patent** (10) **Patent No.:** **US D772,808 S**
Walker (45) **Date of Patent:** **** *Nov. 29, 2016**

(54) **BATTERY**

(71) Applicant: **Deben Group Industries Limited,**
Melton, Woodbridge (GB)

(72) Inventor: **Stephen Andrew Walker,** Ipswich
(GB)

(73) Assignee: **Deben Group Industries Limited,**
Woodbridge (GB)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/559,978**

(22) Filed: **Apr. 1, 2016**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/518,569,
filed on Feb. 25, 2015, now abandoned.

(30) **Foreign Application Priority Data**

Sep. 3, 2014 (EM) 002530675-0003

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**

USPC D13/102–110, 118–119, 184, 199;
D14/356, 432, 251, 253, 434;
320/107–115, 135, 138, 140, 103–105
CPC ... Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M 2/0212;
H01M 2/1061; H01M 2/1022; H01M 2/1055;
H01M 2/1066; H01M 2/105; H01M 2/204;
H01M 2/20; H01M 2/202; H01M 2/206;
H01M 10/4257; H01M 10/0436; H01M

10/48; H01M 10/44; H01M 10/46; H01M
10/465; H01M 10/482; H01M 2200/30;
H01M 2250/30; H01M 2250/40; H02J 7/00;
H02J 7/0003; H02J 7/0011; H02J 7/0013;
H02J 7/0054; H02J 7/0055; H02J 7/0057;
H02J 2007/0062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D538,803	S	*	3/2007	Chen		D14/348
D684,916	S	*	6/2013	Ashida		D12/332
D691,608	S	*	10/2013	Samuels		D14/434
D699,177	S	*	2/2014	Higashi		D13/103
D706,865	S	*	6/2014	Kumagai		D18/11
D728,477	S	*	5/2015	Meyer		D13/107
D730,280	S	*	5/2015	Koebler		D13/107
D733,043	S	*	6/2015	Hasbrook		D13/103
D742,315	S	*	11/2015	Dang		D13/110
D743,333	S	*	11/2015	Nomi		D13/108

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Hayes Soloway, P.C.

(57) **CLAIM**

I claim the ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of battery showing the new design;

FIG. 2 is a front view of a battery thereof;

FIG. 3 is a back view of a battery thereof;


FIG. 4 is a left side view of a battery thereof;

FIG. 5 is a right side view of a battery thereof;

FIG. 6 is a top plan view of a battery thereof; and,

FIG. 7 is a bottom view of a battery thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D744,948 S * 12/2015 Pronk D13/110

9,219,259 B2 * 12/2015 Kwag H01M 2/1061

D758,302 S * 6/2016 Walker D13/103

D760,646 S * 7/2016 Walker D13/103

D762,169 S * 7/2016 Lei D13/108

D762,170 S * 7/2016 Lei D13/108

D762,566 S * 8/2016 Tea D13/103

D763,185 S * 8/2016 Wen D13/103

D763,790 S * 8/2016 Lei D13/108

D765,593 S * 9/2016 Hoshikawa D13/103

2008/0231225 A1 * 9/2008 Lin H01L 31/02021

320/101

2008/0241675 A1 * 10/2008 Enari H01M 2/105

429/179

2015/0094123 A1 * 4/2015 Yeiser, IV H04B 1/3888

455/573

2015/0364727 A1 * 12/2015 Kim H01M 2/02

429/94

2016/0248072 A1 * 8/2016 Jang H01M 2/30

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7