



US00D773008S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,008 S**  
**Meyer** (45) **Date of Patent:** **\*\* Nov. 29, 2016**

- (54) **SHOT**
- (75) Inventor: **Stephen W. Meyer**, Glen Carbon, IL (US)
- (73) Assignee: **OLIN CORPORATION**, East Alton, IL (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/377,349**
- (22) Filed: **Oct. 20, 2010**
- (51) **LOC (10) Cl.** ..... **22-03**
- (52) **U.S. Cl.**  
USPC ..... **D22/116**
- (58) **Field of Classification Search**  
USPC ..... D22/115, 116; 463/2; 102/385, 430, 102/439, 445, 501-520; 86/10, 19.5, 51-54  
See application file for complete search history.

- 2008/0163533 A1 7/2008 Racho ..... 42/84
- 2009/0114113 A1 5/2009 Poore et al. .... 102/460
- 2011/0185936 A1\* 8/2011 Richardson et al. .... 102/438

OTHER PUBLICATIONS

<http://www.outdoorgearbarn.com/p-17916-win-sbs1232-blindside-3mg-stl-2510.aspx>[Nov. 17, 2011 7:31:10 AM].\*

<http://www.skinnymoose.com/moosedroppings/2011/07/19/winchester-introduces-new-waterfowl-load-blind-side/>[Nov. 17, 2011 7:31:49 AM].\*

International Preliminary Report on Patentability for corresponding PCT Application No. PCT/US2012/29480 Date Mailed: Jun. 19, 2012 pp. 10.

\* cited by examiner

*Primary Examiner* — Michael A Pratt  
(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**  
The ornamental design for shot, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective photographic view from above of the shot;  
FIG. 2 is a perspective photographic view from below of the shot;  
FIG. 3 is a top plan photographic view of the shot;  
FIG. 4 is a bottom plan photographic view of the shot;  
FIG. 5 is a front elevation photographic view of the shot;  
FIG. 6 is a right side elevation photographic view of the shot;  
FIG. 7 is a rear elevation photographic view of the shot; and,  
FIG. 8 is a left side elevation photographic view of the shot.  
The design comprises a round shot with flat generally circular top and bottom faces, and flat, generally elongate front, right side, rear, and left side faces.

**1 Claim, 8 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

111,377	A *	1/1871	Paine	102/449
487,028	A *	11/1892	Ginalsky	102/449
631,703	A *	8/1899	Dunn	102/494
1,583,559	A *	5/1926	Kenneweg	102/460
2,343,818	A *	3/1944	Sweeley	102/454
2,767,656	A *	10/1956	Zeamer	102/438
3,208,382	A *	9/1965	Foote et al.	102/453
3,667,390	A *	6/1972	Medin et al.	102/495
3,952,659	A *	4/1976	Sistino	102/453
4,173,930	A *	11/1979	Faires, Jr.	102/448
4,760,793	A *	8/1988	Herring, III	102/460
5,171,934	A *	12/1992	Moore	102/449
5,648,637	A *	7/1997	Clark, III	102/438
7,765,933	B2 *	8/2010	Poore et al.	102/460
7,814,820	B2 *	10/2010	Menefee	86/29
2007/0084375	A1	4/2007	Smith	102/450






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8