



US00D773011S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,011 S**  
**Stark** (45) **Date of Patent:** **\*\* Nov. 29, 2016**

(54) **FISH CLEANING AID**  
(71) Applicant: **Mike Stark**, Panora, IA (US)  
(72) Inventor: **Mike Stark**, Panora, IA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/528,419**  
(22) Filed: **May 28, 2015**  
(51) **LOC (10) Cl.** ..... **22-05**  
(52) **U.S. Cl.**  
USPC ..... **D22/149**  
(58) **Field of Classification Search**  
USPC ..... D22/149, 118; D7/696; 30/155;  
452/103; 7/106  
CPC ..... A22C 25/025  
See application file for complete search history.

D457,220 S \* 5/2002 Huckaba ..... D22/149  
D707,789 S \* 6/2014 Jones ..... D22/118  
D711,499 S \* 8/2014 Kielian ..... D22/149

**OTHER PUBLICATIONS**

Fish cleaning thimble, ThingMonkey-Thingiverse, published Sep. 19, 2015 (printed Aug. 16, 2016), 2 pages.\*

\* cited by examiner

*Primary Examiner* — Catheri Oliver-Garcia  
(74) *Attorney, Agent, or Firm* — Camille L. Urban


(57) **CLAIM**  
The ornamental design for a fish cleaning aid, as shown.


**DESCRIPTION**

FIG. 1 is a perspective view of the fish cleaning aid.  
FIG. 2 is a front view of the fish cleaning aid  
FIG. 3 is a rear view of the fish cleaning aid  
FIG. 4 is a side view of the fish cleaning aid  
FIG. 5 is a top view of the fish cleaning aid; and,  
FIG. 6 is a bottom view of the fish cleaning aid.  
The design consists of a tubular member with an angular top end having at least one tooth formed therein, a bottom end into which a user inserts a finger, and a stop formed between the top end and the bottom end.

**1 Claim, 3 Drawing Sheets**

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
2,435,351 A \* 2/1948 Hay ..... A22C 25/025  
452/103  
D228,286 S \* 9/1973 Gilbert ..... D22/149  
D229,659 S \* 12/1973 Murman ..... 30/155





*FIG. 1*




FIG. 2




FIG. 3






FIG. 4



*FIG. 5*



*FIG. 6*