



US00D773165S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,165 S**  
**Youn** (45) **Date of Patent:** **\*\* Dec. 6, 2016**

- (54) **NONSKID PAD FOR SHOES**
- (71) Applicant: **Shin Dong Hae International Co., Ltd.**, Cheonan, Chungcheongnam-Do (KR)
- (72) Inventor: **Sung Hee Youn**, Chungcheongnam-Do (KR)
- (73) Assignee: **Shin Dong Hae International Co., Ltd.**, Cheonan, Chungcheongnam-Do (KR)

- D257,908 S \* 1/1981 Inohara ..... D2/962
- D259,297 S \* 5/1981 Carey ..... D2/962
- D261,945 S \* 11/1981 Carey ..... D2/962
- D399,342 S \* 10/1998 Carlson ..... D2/951
- D476,798 S \* 7/2003 Reynolds ..... D2/946
- D576,397 S \* 9/2008 Couder ..... D2/946
- D612,140 S \* 3/2010 Moon ..... D2/962
- D612,141 S \* 3/2010 Moon ..... D2/962
- D622,042 S \* 8/2010 Moon ..... D2/951
- D622,946 S \* 9/2010 Moon ..... D2/951
- D622,947 S \* 9/2010 Moon ..... D2/951
- D625,092 S \* 10/2010 Moon ..... D2/951
- D634,528 S \* 3/2011 Oldenburg ..... D2/946

(Continued)

- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/525,245**
- (22) Filed: **Apr. 28, 2015**

*Primary Examiner* — Elizabeth J Oswecki  
(74) *Attorney, Agent, or Firm* — Mintz Levin Cohn Ferris Glovsky and Popeo, P.C.; Kongsik Kim; Jonathon Western

(30) **Foreign Application Priority Data**

Nov. 5, 2014 (KR) ..... 30-2014-0053084

(51) **LOC (10) Cl.** ..... **02-04**

(52) **U.S. Cl.**  
USPC ..... **D2/962**

(58) **Field of Classification Search**  
USPC ..... D2/896, 906, 908, 946, 951, 962, 976, D2/968; 36/83, 88, 92, 71, 59 R, 61, 62, 64, 65, 36/66, 67 R, 67 A, 67 B, 67 C, 67 D, 59 A, 59 B, 36/59 C  
CPC ..... A43C 15/00; A43C 15/005; A43C 15/02; A43C 15/04; A43C 15/10; A43C 13/00; A43C 13/02; A43C 13/04; A43C 13/06; A43C 13/08; A43C 13/10; A43C 13/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,305,693 A \* 6/1919 Lambert ..... G09F 3/14 40/667
- D247,692 S \* 4/1978 Inohara ..... D2/962


(57) **CLAIM**

The ornamental design for a nonskid pad for shoes, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a nonskid pad for shoes showing my new design.  
FIG. 2 is a front view of the nonskid pad of FIG. 1.  
FIG. 3 is a rear view of the nonskid pad of FIG. 1.  
FIG. 4 is a left side view of the nonskid pad of FIG. 1.  
FIG. 5 is a right side view of the nonskid pad of FIG. 1.  
FIG. 6 is a top view of the nonskid pad of FIG. 1.  
FIG. 7 is a bottom view of the nonskid pad of FIG. 1; and, FIG. 8 is another perspective view of the nonskid pad of FIG. 1, shown in a used condition on a shoe sole shown in broken lines.  
The broken lines shown in the drawings represent portion of the nonskid pad for shoes that form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS


D635,752	S *	4/2011	Shea .....	D2/946
D653,438	S *	2/2012	Moon .....	D2/951
D659,970	S *	5/2012	Liao .....	D2/962
D664,755	S *	8/2012	Gavrieli .....	D2/962
D675,005	S *	1/2013	Minami .....	D2/962
D675,415	S *	2/2013	Minami .....	D2/962
D695,507	S *	12/2013	Hillis .....	D2/962
D697,297	S *	1/2014	McClaskie .....	D2/951
D704,424	S *	5/2014	Martin .....	D2/951
D707,935	S *	7/2014	Williams, Jr. ....	D2/951
D711,085	S *	8/2014	da Costa Pereira Machado .....	D2/951
D716,027	S *	10/2014	Kirschner .....	D2/951
D723,777	S *	3/2015	Cin .....	D2/951
D727,610	S *	4/2015	Francis .....	D2/951
D758,709	S *	6/2016	Youn .....	D2/962
2006/0272252	A1 *	12/2006	Moller, Jr. ....	E01C 5/20 52/384
2009/0307932	A1 *	12/2009	Kirby .....	A43B 13/223 36/134

\* cited by examiner

**FIG. 1**



**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**





**FIG. 7**



**FIG. 8**

