



US00D773165S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,165 S**
Youn (45) **Date of Patent:** **** Dec. 6, 2016**

- (54) **NONSKID PAD FOR SHOES**
- (71) Applicant: **Shin Dong Hae International Co., Ltd.**, Cheonan, Chungcheongnam-Do (KR)
- (72) Inventor: **Sung Hee Youn**, Chungcheongnam-Do (KR)
- (73) Assignee: **Shin Dong Hae International Co., Ltd.**, Cheonan, Chungcheongnam-Do (KR)

- D257,908 S * 1/1981 Inohara D2/962
- D259,297 S * 5/1981 Carey D2/962
- D261,945 S * 11/1981 Carey D2/962
- D399,342 S * 10/1998 Carlson D2/951
- D476,798 S * 7/2003 Reynolds D2/946
- D576,397 S * 9/2008 Couder D2/946
- D612,140 S * 3/2010 Moon D2/962
- D612,141 S * 3/2010 Moon D2/962
- D622,042 S * 8/2010 Moon D2/951
- D622,946 S * 9/2010 Moon D2/951
- D622,947 S * 9/2010 Moon D2/951
- D625,092 S * 10/2010 Moon D2/951
- D634,528 S * 3/2011 Oldenburg D2/946

(Continued)

- (**) Term: **14 Years**
- (21) Appl. No.: **29/525,245**
- (22) Filed: **Apr. 28, 2015**

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Mintz Levin Cohn Ferris Glovsky and Popeo, P.C.; Kongsik Kim; Jonathon Western

(30) **Foreign Application Priority Data**

Nov. 5, 2014 (KR) 30-2014-0053084

(51) **LOC (10) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/962**

(58) **Field of Classification Search**
USPC D2/896, 906, 908, 946, 951, 962, 976, D2/968; 36/83, 88, 92, 71, 59 R, 61, 62, 64, 65, 36/66, 67 R, 67 A, 67 B, 67 C, 67 D, 59 A, 59 B, 36/59 C
CPC A43C 15/00; A43C 15/005; A43C 15/02; A43C 15/04; A43C 15/10; A43C 13/00; A43C 13/02; A43C 13/04; A43C 13/06; A43C 13/08; A43C 13/10; A43C 13/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,305,693 A * 6/1919 Lambert G09F 3/14 40/667
- D247,692 S * 4/1978 Inohara D2/962


(57) **CLAIM**

The ornamental design for a nonskid pad for shoes, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a nonskid pad for shoes showing my new design.
FIG. 2 is a front view of the nonskid pad of FIG. 1.
FIG. 3 is a rear view of the nonskid pad of FIG. 1.
FIG. 4 is a left side view of the nonskid pad of FIG. 1.
FIG. 5 is a right side view of the nonskid pad of FIG. 1.
FIG. 6 is a top view of the nonskid pad of FIG. 1.
FIG. 7 is a bottom view of the nonskid pad of FIG. 1; and, FIG. 8 is another perspective view of the nonskid pad of FIG. 1, shown in a used condition on a shoe sole shown in broken lines.
The broken lines shown in the drawings represent portion of the nonskid pad for shoes that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D635,752	S *	4/2011	Shea	D2/946
D653,438	S *	2/2012	Moon	D2/951
D659,970	S *	5/2012	Liao	D2/962
D664,755	S *	8/2012	Gavrieli	D2/962
D675,005	S *	1/2013	Minami	D2/962
D675,415	S *	2/2013	Minami	D2/962
D695,507	S *	12/2013	Hillis	D2/962
D697,297	S *	1/2014	McClaskie	D2/951
D704,424	S *	5/2014	Martin	D2/951
D707,935	S *	7/2014	Williams, Jr.	D2/951
D711,085	S *	8/2014	da Costa Pereira Machado	D2/951
D716,027	S *	10/2014	Kirschner	D2/951
D723,777	S *	3/2015	Cin	D2/951
D727,610	S *	4/2015	Francis	D2/951
D758,709	S *	6/2016	Youn	D2/962
2006/0272252	A1 *	12/2006	Moller, Jr.	E01C 5/20 52/384
2009/0307932	A1 *	12/2009	Kirby	A43B 13/223 36/134

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7



FIG. 8

