



US00D773456S

(12) **United States Design Patent**
Mitchell

(10) **Patent No.:** **US D773,456 S**

(45) **Date of Patent:** **** Dec. 6, 2016**

(54) **COORDINATE INPUT DEVICE**

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama (JP)

(72) Inventor: **Giles Thomas Mitchell**, Tokyo (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/536,488**

(22) Filed: **Aug. 17, 2015**

(30) **Foreign Application Priority Data**

Feb. 18, 2015 (JP) 2015-003197

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/341**; D10/65

(58) **Field of Classification Search**
USPC D10/65; D14/341-347, 138 AA, 138 R, D14/138 C, 138 G, 496, 203.1, 203.3, 203.4, D14/203.7, 129, 130, 420, 426, 147, 218, D14/247, 248; D18/6, 7; D21/324, 329, 330
CPC .. G06F 9/4455; G06F 9/54; G06F 2209/549; G06F 2212/161; G06F 3/041; G06F 3/0412; G06F 3/0414; G06F 3/0416; G06F 3/0418; G06F 3/042; G06F 3/0421; G06F 3/0423; G06F 3/0425; G06F 3/0426; G06F 3/0428; G06F 3/043; G06F 3/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D602,022 S 10/2009 Heck
D706,776 S * 6/2014 Akana D14/341
D735,187 S * 7/2015 Hsu D14/315

D739,439 S * 9/2015 Akana D14/496
D748,622 S * 2/2016 Akana D14/341
D750,062 S * 2/2016 Akana D14/341
D751,064 S * 3/2016 Akana D14/341
9,367,708 B2 * 6/2016 Gessner G06F 21/87
9,398,713 B2 * 7/2016 Chen H05K 7/00

FOREIGN PATENT DOCUMENTS

JP D1484871 S 11/2013

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a coordinate input device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a coordinate input device showing my new design;

FIG. 2 is a top view of the coordinate input device shown in FIG. 1;

FIG. 3 is a bottom view of the coordinate input device shown in FIG. 1;

FIG. 4 is a front view of the coordinate input device shown in FIG. 1;


FIG. 5 is a rear view of the coordinate input device shown in FIG. 1;

FIG. 6 is a left side view of the coordinate input device shown in FIG. 1; and,

FIG. 7 is a right side view of the coordinate input device shown in FIG. 1.

The broken lines shown in the figures represent portions of the coordinate input device that form no part of the claimed design.

1 Claim, 5 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.