



US00D773462S

(12) **United States Design Patent**
Mitchell

(10) **Patent No.:** **US D773,462 S**

(45) **Date of Patent:** **** Dec. 6, 2016**

(54) **COORDINATE INPUT APPARATUS**

D699,723 S * 2/2014 Nishizawa D14/411
D704,187 S * 5/2014 Eastwood D14/411
D750,630 S * 3/2016 Nishizawa D14/411

(71) Applicant: **Wacom Co., Ltd.**, Kazo-shi, Saitama
(JP)

FOREIGN PATENT DOCUMENTS

(72) Inventor: **Giles Thomas Mitchell**, Tokyo (JP)

JP 717125-2 4/1993

(73) Assignee: **Wacom Co., Ltd.**, Kazo-shi (JP)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Antoine D Davis

(21) Appl. No.: **29/536,489**

(74) *Attorney, Agent, or Firm* — Christensen O'Connor
Johnson Kindness PLLC

(22) Filed: **Aug. 17, 2015**

(57) **CLAIM**

The ornamental design for a coordinate input apparatus, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Feb. 18, 2015 (JP) 2015-003198

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**

USPC **D14/411**

(58) **Field of Classification Search**

USPC D14/411; D19/115, 128

CPC .. G06F 9/4455; G06F 9/54; G06F 2209/549;

G06F 2212/161; G06F 3/041; G06F 3/0412;

G06F 3/0414; G06F 3/0416; G06F 3/0418;

G06F 3/042; G06F 3/0421; G06F 3/0423;

G06F 3/0425; G06F 3/0426; G06F 3/0428;

G06F 3/043; G06F 3/04

See application file for complete search history.

FIG. 1 is a perspective view of a coordinate input apparatus showing my new design;

FIG. 2 is a front view of the coordinate input apparatus shown in FIG. 1;

FIG. 3 is a rear view of the coordinate input apparatus shown in FIG. 1;

FIG. 4 is a right side view of the coordinate input apparatus shown in FIG. 1, the left side view being mirror symmetrical thereto;

FIG. 5 is a top view of the coordinate input apparatus shown in FIG. 1; and,

FIG. 6 is a bottom view of the coordinate input apparatus shown in FIG. 1.

While the solid lines in the drawings form part of the claimed design, the solid lines provide written description of prospective embodiments that are not claimed when one or more of the solid lines are amended to broken lines.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D614,622 S * 4/2010 Nakata D14/411

D617,327 S * 6/2010 Crisp D14/411

D670,700 S 11/2012 Halsinger

1 Claim, 3 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.