



US00D773609S

(12) **United States Design Patent**
Morita et al.

(10) **Patent No.:** **US D773,609 S**

(45) **Date of Patent:** **** Dec. 6, 2016**

(54) **RETURN NOZZLE**
(71) Applicant: **Hitachi Kokusai Electric Inc.**,
Chiyoda-ku, Tokyo (JP)
(72) Inventors: **Shinya Morita**, Toyama (JP);
Masahiro Miyake, Toyama (JP);
Masato Terasaki, Toyama (JP); **Naoki**
Matsumoto, Toyama (JP); **Naonori**
Akae, Toyama (JP)
(73) Assignee: **Hitachi Kokusai Electric Inc.**, Tokyo
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/518,867**

(22) Filed: **Feb. 27, 2015**

(30) **Foreign Application Priority Data**

Sep. 10, 2014 (JP) D2014-020078

(51) **LOC (10) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/213**

(58) **Field of Classification Search**
USPC D23/200, 213, 266; D15/144.2; D8/1,
D8/2, 30, 60
CPC B24B 9/00; B24B 9/007; B08B 9/00;
B08B 9/02; B08B 9/021; B08B 9/023;
B08B 9/027; B08B 9/032; B08B 9/0321;
B08B 9/0323; B08B 9/0328; B08B
9/035; B08B 9/0495; B08B 5/00; B08B
5/02; B05B 1/00; B05B 1/005; B05B
1/06; B05B 5/0537; B05B 5/0538;
B05B 1/3093

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D322,341 S * 12/1991 Zito D23/213
5,135,170 A * 8/1992 Takeda B05B 15/10
239/204

6,024,300 A * 2/2000 Bolton B05B 11/0035
222/637
6,283,388 B1 * 9/2001 Bolton B05B 7/2405
239/326
6,832,734 B2 * 12/2004 Rafferty B05B 15/08
239/222
D514,662 S * 2/2006 Zielke D23/213
7,080,888 B2 * 7/2006 Hach E04G 23/08
299/17
7,100,844 B2 * 9/2006 McGuire B08B 3/02
175/424
D617,416 S * 6/2010 Chen D23/223
D638,911 S * 5/2011 Laski D23/213
D641,830 S * 7/2011 Alexander D23/213
D684,662 S * 6/2013 Cordani D23/223
D693,901 S * 11/2013 Zwaan D19/66
D730,487 S * 5/2015 Bergstrom D23/213
2004/0074988 A1 * 4/2004 Sternbach B05B 1/046
239/284.1

* cited by examiner

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Miles & Stockbridge
P.C.

(57) **CLAIM**


The ornamental design for a return nozzle, as shown and
described.

DESCRIPTION

FIG. 1 is a front, bottom and right side perspective view of
a return nozzle showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a right side elevational view thereof;
FIG. 8 is an enlarged front view taken along line 8-8 in FIG.
2 thereof;
FIG. 9 is an enlarged bottom view taken along line 9-9 in
FIG. 5 thereof; and,
FIG. 10 is an enlarged cross sectional view taken along line
10-10 in FIG. 9.

The dashed-dot-dashed lines represent the boundary lines of
the claimed design. The broken lines shown in the drawings
represent portions of the return nozzle that form no part of
the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6

FIG. 7




FIG. 8




FIG. 9




FIG. 10