



US00D773710S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,710 S**  
**Ahrari** (45) **Date of Patent:** **\*\* Dec. 6, 2016**

(54) **ILLUMINATING BOLLARD**

(71) Applicant: **Hubbell Incorporated**, Shelton, CT (US)

(72) Inventor: **Armin Ahrari**, Chino, CA (US)

(73) Assignee: **Hubbell Incorporated**, Shelton, CT (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/523,921**

(22) Filed: **Apr. 15, 2015**

(51) **LOC (10) Cl.** ..... **26-05**

(52) **U.S. Cl.**  
USPC ..... **D26/68**

(58) **Field of Classification Search**  
USPC ..... D26/63, 67-70, 118

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D209,416 S \* 11/1967 Smith ..... D25/129  
D234,809 S \* 4/1975 Delin ..... D26/67

(Continued)

**OTHER PUBLICATIONS**

Bega-US, "Unshielded bollards", www.bega-us.com, 1 page, Carpinteria, California.

(Continued)

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich, LLP

(57) **CLAIM**

I claim the ornamental design for an illuminating bollard, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of an illuminating bollard showing a first embodiment of the new design;

FIG. 2 is a front view of the illuminating bollard shown in FIG. 1.

FIG. 3 is a back view of the illuminating bollard shown in FIG. 1.

FIG. 4 is a left side view of the illuminating bollard shown in FIG. 1.

FIG. 5 is a right side view of the illuminating bollard shown in FIG. 1.

FIG. 6 is a top view of the illuminating bollard shown in FIG. 1.

FIG. 7 is a top perspective view of an illuminating bollard showing a second embodiment of the new design;

FIG. 8 is a front view of the illuminating bollard shown in FIG. 7.

FIG. 9 is a back view of the illuminating bollard shown in FIG. 7.

FIG. 10 is a left side view of the illuminating bollard shown in FIG. 7.

FIG. 11 is a right side view of the illuminating bollard shown in FIG. 7.

FIG. 12 is a top view of the illuminating bollard shown in FIG. 7.

FIG. 13 is a top perspective view of an illuminating bollard showing a third embodiment of the new design;

FIG. 14 is a front view of the illuminating bollard shown in FIG. 13.

FIG. 15 is a back view of the illuminating bollard shown in FIG. 13.

FIG. 16 is a left side view of the illuminating bollard shown in FIG. 13.

FIG. 17 is a right side view of the illuminating bollard shown in FIG. 13.

FIG. 18 is a top view of the illuminating bollard shown in FIG. 13.

FIG. 19 is a bottom perspective view of the illuminating bollard shown in FIG. 13;

FIG. 20 is a top perspective view of an illuminating bollard showing a fourth embodiment of the new design;

FIG. 21 is a front view of the illuminating bollard shown in FIG. 20.

FIG. 22 is a back view of the illuminating bollard shown in FIG. 20.

FIG. 23 is a left side view of the illuminating bollard shown in FIG. 20.

(Continued)




FIG. 24 is a right side view of the illuminating bollard shown in FIG. 20.

FIG. 25 is a top view of the illuminating bollard shown in FIG. 20; and,

FIG. 26 is a bottom perspective view of the illuminating bollard shown in FIG. 20.

The bottom views are not part of the claimed design in Embodiments 1 and 2. The broken lines shown on the drawings depict portions of the illuminating bollard that form no part of the claimed design.

**1 Claim, 18 Drawing Sheets**

**(58) Field of Classification Search**

CPC ..... F21S 6/004; F21S 6/005; F21S 8/08;  
F21S 8/081; F21S 8/083; F21S  
8/088; F21S 9/03; F21S 9/032; F21S  
9/035; F21S 9/037; F21W  
2131/109; F21W 2111/023; F21V  
21/0824; F21V 7/041

See application file for complete search history.

**(56) References Cited**

**U.S. PATENT DOCUMENTS**

D236,151 S \* 7/1975 Friedberg ..... D10/113.2  
D372,320 S \* 7/1996 Brady ..... D20/41  
D382,910 S \* 8/1997 Greenfield ..... D20/17  
D388,900 S \* 1/1998 Metcheur, III ..... D26/68

D393,089 S \* 3/1998 Metcheur, III ..... D26/68  
6,457,847 B1 \* 10/2002 LeVasseur ..... F21V 3/00  
362/147  
D571,495 S \* 6/2008 Berns ..... D26/68  
D598,154 S \* 8/2009 Zhou ..... D26/68  
D678,578 S \* 3/2013 Wauters ..... D26/68  
D679,436 S \* 4/2013 Gismondi ..... D26/68  
D695,937 S \* 12/2013 Duquette ..... D26/68  
D719,287 S \* 12/2014 Sorensen ..... D26/68  
D719,288 S \* 12/2014 Sorensen ..... D26/68  
D719,289 S \* 12/2014 Sorensen ..... D26/68  
D721,197 S \* 1/2015 Sorensen ..... D26/68  
2006/0176684 A1 \* 8/2006 Richmond ..... F21S 9/037  
362/153

**OTHER PUBLICATIONS**

Selux, "MTR Square Bollard LED", www.selux.us, 5 pages, ss-v1.2, Selux Corp.  
"Morroco Illuminating Bollard", www.hessamerica.com/3339, available on Apr. 14, 2015, pp. 231-234, Gaffney, South Carolina.  
"Sierra Q/QG Illuminating Column / Bollard", www.hessamerica.com/4350, www.hessamerica.com/3350, available on Apr. 14, 2015, pp. 111-113, Gaffney, South Carolina.  
Bega-US, "Bollards with wide spread light distribution", www.bega-us.com, 1 page, Carpinteria, California.  
Bega-US, "Surface washers for horizontal surfaces", www.bega-us.com, 1 page, Carpinteria, California.  
"Linear Post Bollard—LED", notes, 1 page, Carpinteria, California.  
"Wide Spread Trapezoidal Bollard", notes, 1 page, Carpinteria, California.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19






FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26