



US00D773922S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,922 S**  
**Fiebig et al.** (45) **Date of Patent:** **\*\* Dec. 13, 2016**

(54) **COUPLING MEMBER**  
(71) Applicant: **Anki, Inc.**, San Francisco, CA (US)  
(72) Inventors: **Charles Fiebig**, El Cerrito, CA (US);  
**Hanns Tappeiner**, San Francisco, CA (US)  
(73) Assignee: **Anki, Inc.**, San Francisco, CA (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/516,979**  
(22) Filed: **Feb. 9, 2015**

4,106,695 A \* 8/1978 Carella ..... A63H 18/02  
104/DIG. 1  
D259,080 S \* 5/1981 Conti ..... D8/381  
4,953,785 A \* 9/1990 Keska ..... A63H 19/30  
238/10 A  
6,974,086 B2 \* 12/2005 Cheng ..... A63H 18/02  
238/10 F  
D552,452 S \* 10/2007 Emblin ..... D8/354  
D702,533 S \* 4/2014 Noturno ..... D8/354  
D723,474 S \* 3/2015 Olsson ..... D13/153  
D727,715 S \* 4/2015 Munson ..... D8/354  
2004/0050226 A1 \* 3/2004 Oetlinger ..... B26D 7/1818  
83/55  
2009/0141457 A1 \* 6/2009 Fujikawa ..... G06F 1/187  
361/727  
2010/0304640 A1 12/2010 Sofman et al.  
2013/0095726 A1 4/2013 Sofman et al.

(Continued)

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 14/615,817,  
filed on Feb. 6, 2015.  
(51) **LOC (10) Cl.** ..... **08-08**  
(52) **U.S. Cl.**  
USPC ..... **D8/349**; D21/565  
(58) **Field of Classification Search**  
USPC ..... D8/330, 349, 354, 355, 374, 382,  
394, D8/499; D21/565; D13/133  
CPC ..... A63F 13/06; A63F 13/20; A63F 13/30;  
A63F 13/00; A63H 30/04; A63H 18/00;  
A63H 18/02; A63H 23/00; A63H 30/00;  
A63K 1/00; B65D 77/00  
See application file for complete search history.

*Primary Examiner* — Thomas Johannes  
*Assistant Examiner* — Shawn T Gingrich  
(74) *Attorney, Agent, or Firm* — Lerner, David,  
Littenberg, Krumholz & Mentlik, LLP

(57) **CLAIM**

The ornamental design for a coupling member, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of the design of the coupling member;  
FIG. 2 is a front view thereof;  
FIG. 3 is a back view thereof;  
FIG. 4 is a right view thereof;  
FIG. 5 is a left view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.  
The broken lines shown in the drawings represent portions of the coupling member that form no part of the claimed design.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D139,568 S \* 11/1944 Hinchman ..... D8/356  
D186,812 S \* 12/1959 Reidelbach ..... D25/199  
3,000,573 A \* 9/1961 Schlau ..... A63H 18/02  
191/22 C  
4,091,995 A \* 5/1978 Barlow ..... A63H 18/02  
238/10 A

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2013/0256483	A1 *	10/2013	Dixon .....	B62D 25/182 248/222.14
2013/0324250	A1	12/2013	Sofman et al.	
2014/0017974	A1	1/2014	Sofman et al.	
2014/0232145	A1 *	8/2014	Lanard .....	B62D 25/08 296/193.09
2014/0235136	A1	8/2014	Sofman et al.	
2014/0235138	A1	8/2014	Sofman et al.	
2014/0342834	A1	11/2014	Tappeiner et al.	
2014/0346302	A1 *	11/2014	Vignali .....	B64D 13/02 248/309.1

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7