



US00D773962S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,962 S**
Houle (45) **Date of Patent:** **** Dec. 13, 2016**

(54) **VIBRATION ABSORBER**
(71) Applicant: **PLACEMENTS GASTON HOULE INC., Wickham (CA)**
(72) Inventor: **Gaston Houle, Wickham (CA)**
(73) Assignee: **PLACEMENTS GASTON HOULE INC., Wickham (CA)**

D648,410 S 11/2011 Sims
D679,357 S 4/2013 Wright
8,567,381 B2 10/2013 Saunders
D692,976 S 11/2013 Sims
8,839,775 B2 9/2014 Wasilewski
(Continued)

(**) Term: **14 Years**
(21) Appl. No.: **29/517,516**

FOREIGN PATENT DOCUMENTS

WO WO0040916 7/2000

(22) Filed: **Feb. 13, 2015**
(51) **LOC (10) Cl.** **12-16**
(52) **U.S. Cl.**
USPC **D12/159**
(58) **Field of Classification Search**
USPC D22/107; D21/571-575
CPC F41B 5/1426; F41B 5/1407
See application file for complete search history.

OTHER PUBLICATIONS

Sims String Decelerator by Archery FS Discount Archery Product, published on the website of FS Discount Archery Product (Tustin, CA, USA) published on Feb. 11, 2015. <http://www.fsdiscountarchery.com/simsstringdeceleratornew.aspx>.

Primary Examiner — Michael A Pratt
(74) *Attorney, Agent, or Firm* — Mathieu Audet

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,059,629 A * 10/1962 Stinson F41B 5/00
124/23.1
5,452,704 A 9/1995 Winebarger
5,595,168 A 1/1997 Martin
5,720,269 A 2/1998 Saunders
6,298,842 B1 10/2001 Sims
D454,382 S 3/2002 Sims
6,634,348 B2 10/2003 Gallops, Jr.
6,684,874 B2 2/2004 Mizek
6,761,158 B2 * 7/2004 Wright F41B 5/1407
124/92
6,910,472 B2 6/2005 Mizek
6,966,314 B2 11/2005 McPherson
7,703,449 B2 4/2010 Wright


(57) **CLAIM**

The ornamental design for a vibration absorber, as shown.

DESCRIPTION

FIG. 1 is an isometric view of the vibration absorber; FIG. 2 is a rear elevational view of the vibration absorber; FIG. 3 is a front elevational view of the vibration absorber; FIG. 4 is a right elevational view of the vibration absorber; FIG. 5 is a left elevational view of the vibration absorber; FIG. 6 is a bottom plan elevational view of the vibration absorber; and, FIG. 7 is a top plan view of view of the vibration absorber. The broken lines in the drawings illustrate portions of the vibration absorber which form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,939,139	B2	1/2015	Sims
2002/0088448	A1	7/2002	Sims
2003/0094168	A1	5/2003	Sims
2003/0121510	A1	7/2003	Mizek
2004/0154601	A1	8/2004	Mizek
2009/0032005	A1	2/2009	Wright
2010/0319670	A1	12/2010	Sims
2011/0214656	A1	9/2011	Saunders
2013/0174825	A1	7/2013	Bednar
2014/0041645	A1	2/2014	Wasilewski

* cited by examiner




FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7