



US00D773976S

(12)

United States Design Patent

Dixon

(10) Patent No.:

US D773,976 S

(45) Date of Patent:

** Dec. 13, 2016

(54) TIRE

(71) Applicant: The Goodyear Tire & Rubber Company, Akron, OH (US)

(72) Inventor: Max Harold Dixon, Kent, OH (US)

(73) Assignee: The Goodyear Tire & Rubber Company, Akron, OH (US)

(**) Term: 14 Years

(21) Appl. No.: 29/515,010

(22) Filed: Jan. 20, 2015

(51) LOC (10) Cl. 12-15

(52) U.S. Cl. USPC D12/515; D12/521

(58) Field of Classification Search USPC D12/500-532, 900-901 CPC B60C 11/0304; B60C 11/0302; B60C 11/0306; B60C 11/0309; B60C 11/0318; B60C 11/0311; B60C 11/042; B60C 11/13; B60C 11/00; B60C 11/11; B60C 11/12

See application file for complete search history.

D490,045 S	5/2004	Delu et al.	D12/519
D512,013 S	11/2005	Delu et al.	D12/521
D524,231 S	7/2006	Marazzi et al.	D12/521
D524,236 S	7/2006	Marazzi et al.	D12/524
D524,720 S *	7/2006	Dumigan	D12/516
D524,721 S *	7/2006	Dumigan	D12/516
D530,661 S *	10/2006	Matsumoto	D12/532
D551,158 S	9/2007	Collette et al.	D12/528
D558,127 S	12/2007	Shavers et al.	D12/519
D559,767 S	1/2008	Graas et al.	D12/521
D560,595 S	1/2008	Bindner et al.	D12/521
D560,600 S	1/2008	Dixon et al.	D12/588
D585,364 S	1/2009	Shondel et al.	D12/600
D590,765 S	4/2009	Matsumoto	D12/519
D593,936 S	6/2009	Maxwell	D12/587
D597,474 S	8/2009	Yamakawa et al.	D12/519
D599,276 S	9/2009	Fontaine et al.	D12/519
D601,939 S	10/2009	Fontaine et al.	D12/519
D609,161 S	2/2010	Fontaine et al.	D12/517
D613,235 S	4/2010	Kossi et al.	D12/521
D613,239 S	4/2010	Harvey et al.	D12/588
D619,958 S	7/2010	Maxwell	D12/586

(Continued)

Primary Examiner — Stacia Cadmus

(74) Attorney, Agent, or Firm — Robert N. Lipsik

(57) CLAIM

The ornamental design for a tire, as shown and described.

(56) References Cited

U.S. PATENT DOCUMENTS

D320,965 S *	10/1991	Maxwell	D12/523
D334,360 S	3/1993	Graas et al.	D12/147
D344,053 S	2/1994	Attinello et al.	D12/147
D365,793 S *	1/1996	Scarpitti	D12/516
D390,817 S *	2/1998	Graas	D12/516
D392,922 S	3/1998	Heinen	D12/147
D393,613 S *	4/1998	Brayer	D12/518
D422,246 S	4/2000	Fierro et al.	D12/146
D451,441 S	12/2001	Weber	D12/146
D483,006 S	12/2003	Brayer et al.	D12/588

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof; and,

FIG. 5 is an enlarged fragmentary front elevational view thereof.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D630,997 S	1/2011	Wright et al.	D12/516
D653,606 S *	2/2012	Raatikainen	D12/521
D668,598 S	10/2012	Hughes et al.	D12/521
D669,421 S	10/2012	Stuckey et al.	D12/588
D673,894 S	1/2013	Hughes et al.	D12/521
D699,663 S *	2/2014	Dixon	D12/521
D710,787 S	8/2014	Dixon et al.	D12/521
D713,325 S	9/2014	Maxwell et al.	D12/521
D724,005 S	3/2015	Hughes et al.	D12/515
D725,584 S *	3/2015	Ropars	D12/519
D737,752 S *	9/2015	Shondel	D12/521
D752,504 S *	3/2016	Sareen	D12/521

* cited by examiner



FIG - 1




FIG - 2



FIG - 3



FIG - 4



FIG - 5