



US00D773977S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,977 S**
Dixon et al. (45) **Date of Patent:** **** Dec. 13, 2016**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Max Harold Dixon, Kent, OH (US); Delwyn Lovell Harvey, Winston-Salem, NC (US)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/533,597**

(22) Filed: **Jul. 20, 2015**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/521**

(58) **Field of Classification Search**
USPC D12/500-532, 900-901
CPC B60C 11/0304; B60C 11/0302; B60C 11/0306; B60C 11/0309; B60C 11/0318; B60C 11/0311; B60C 11/042; B60C 11/13; B60C 11/00; B60C 11/11; B60C 11/12
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D365,798 S	*	1/1996	Scarpitti	D12/521
D432,956 S	*	10/2000	Ricquet	D12/521
D451,453 S		12/2001	Maxwell et al.	D12/147
D453,919 S		2/2002	Mast et al.	D12/528
D490,046 S	*	5/2004	Fukunaga	D12/521
D559,767 S		1/2008	Graas et al.	D12/521
D560,595 S		1/2008	Bindner et al.	D12/521

D560,599 S		1/2008	Dixon et al.	D12/587
D579,855 S	*	11/2008	Fontaine	D12/521
D585,364 S		1/2009	Shondel et al.	D12/600
D593,931 S	*	6/2009	Fontaine	D12/521
D599,728 S	*	9/2009	Froger	D12/521
D601,486 S	*	10/2009	Kim	D12/521
D601,939 S		10/2009	Fontaine et al.	D12/517
D606,926 S	*	12/2009	Heinen	D12/521
D609,161 S		2/2010	Fontaine et al.	D12/517
D613,238 S		4/2010	Harvey et al.	D12/586
D638,348 S		5/2011	Harvey et al.	D12/521
D639,719 S		6/2011	Harvey et al.	D12/521
D639,720 S		6/2011	Harvey et al.	D12/521
D644,592 S		9/2011	Grabo et al.	D12/519
D659,075 S		5/2012	Harvey et al.	D12/521
D659,084 S		5/2012	Graas et al.	D12/590
D662,451 S		6/2012	Schmalix et al.	D12/521
D668,598 S		10/2012	Hughes et al.	D12/521
D694,702 S		12/2013	Leconte et al.	D12/521
D696,621 S		12/2013	Harvey et al.	D12/516
D708,564 S		7/2014	Wang	D12/521
D709,819 S	*	7/2014	Herbst	D12/521
D710,787 S		8/2014	Dixon et al.	D12/521

(Continued)


Primary Examiner — Stacia Cadmus
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**
The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof; and,
FIG. 5 is an enlarged fragmentary front elevational view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D713,325 S *	9/2014	Maxwell	D12/521
D724,005 S	3/2015	Hughes et al.	D12/515
D733,635 S *	7/2015	Digman	D12/521
D737,752 S *	9/2015	Shondel	D12/521
D744,406 S *	12/2015	Bosch Alsina	D12/521
D752,504 S *	3/2016	Sareen	D12/521
D756,892 S *	5/2016	Kim	D12/521
D761,717 S *	7/2016	Fu	D12/521

* cited by examiner



FIG - 1



FIG - 2



FIG - 3



FIG - 4



FIG - 5