



US00D774106S

(12) **United States Design Patent** (10) **Patent No.:** **US D774,106 S**
Fiser et al. (45) **Date of Patent:** **** Dec. 13, 2016**

(54) **EXCAVATOR BODY EXTERIOR**

(71) Applicant: **Clark Equipment Company**, West
Fargo, ND (US)

(72) Inventors: **Jaroslav Fiser**, Pribram (CZ); **Petr
Kratochvil**, Pribram (CZ); **Karel
Vanek**, Mnisek pod Brdy (CZ)

(73) Assignee: **Clark Equipment Company**, West
Fargo, ND (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/543,052**

(22) Filed: **Oct. 20, 2015**

(51) **LOC (10) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**
USPC D15/10, 22-26, 28, 30, 31, 33; 180/89.1,
180/89.12, 89.13, 900, 9.1, 9.2, 9.62;
414/694, 699, 722-724, 660, 685,
414/698, 719, 743; 37/379
CPC E02F 9/163; E02F 9/0886; E02F 9/18;
E02F 3/32; E02F 3/76; E02F 3/40; F01N
13/001; F01N 2590/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D481,044 S	*	10/2003	Tokach		D15/30
D487,575 S	*	3/2004	Wetzel		D15/33
D494,986 S	*	8/2004	Tokach		D15/30
D506,211 S	*	6/2005	Kuwae		D15/33
D508,498 S	*	8/2005	Shimokakiuchi		D15/24
D509,514 S	*	9/2005	Shimokakiuchi		D15/24
D538,305 S	*	3/2007	Smith		D15/30
D562,354 S	*	2/2008	Imashige		D15/28
D582,946 S	*	12/2008	Ochi		D15/28
D590,847 S	*	4/2009	Yonekura		D15/25

D591,773 S	*	5/2009	Ueta		D15/22
D593,137 S	*	5/2009	Ueta		D15/28
D594,037 S	*	6/2009	Uemura		D15/30
D607,904 S	*	1/2010	Reisenauer		D15/30
D631,067 S	*	1/2011	Nishimura		D15/22
D635,592 S	*	4/2011	Shimomura		D15/28
D660,323 S	*	5/2012	Hiraoka		D15/28
D663,327 S	*	7/2012	Namura		D15/30
D678,917 S	*	3/2013	Hagura		D15/28
D684,598 S	*	6/2013	Hagura		D15/24
D684,602 S	*	6/2013	Hagura		D15/28
D684,604 S	*	6/2013	Saito		D15/28
D684,605 S	*	6/2013	Hagura		D15/28

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/543,049, filed Oct. 20, 2015, 8 pages.
(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — John D.
Veldhuis-Kroeze; Westman, Champlin & Koehler, P.A.


(57) **CLAIM**

The ornamental design for an excavator body exterior, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the excavator body exterior
showing our new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a back view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines shown in the drawings are included for
purposes of illustrating portions of the excavator, excavator
body, and excavator cab and form no part of the claimed
design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D684,606 S * 6/2013 Hagura D15/28
D689,530 S * 9/2013 Miyata D15/30
D692,924 S * 11/2013 Hatanaka D15/24
D707,261 S * 6/2014 Caboret D15/24
D711,927 S * 8/2014 Yoshita D15/24
D715,330 S * 10/2014 Hutchinson D15/22
D715,331 S * 10/2014 Hutchinson D15/22
D716,845 S * 11/2014 Hayami D15/24
D717,346 S * 11/2014 Ishii D15/28
D725,680 S * 3/2015 Mishio D15/24
D735,771 S * 8/2015 Imashige D15/28
D738,403 S * 9/2015 Imashige D15/22
D750,671 S * 3/2016 Imashige D15/22
D750,672 S * 3/2016 Payne D15/25
D750,673 S * 3/2016 Imashige D15/28
D752,112 S * 3/2016 Hagura D15/24

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/543,056, filed Oct. 20, 2015, 8 pages.
Design U.S. Appl. No. 29/543,057, filed Oct. 20, 2015, 8 pages.
Design U.S. Appl. No. 29/543,063, filed Oct. 20, 2015, 8 pages.

* cited by examiner





FIG. 1






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7