



US00D774122S

(12) **United States Design Patent**
Ganovsky et al.

(10) **Patent No.:** **US D774,122 S**
(45) **Date of Patent:** **** Dec. 13, 2016**

(54) **CHAIN WITH PENDANT GLASSES**

(71) Applicant: **Neckglasses, LLC**, Oxford, MS (US)

(72) Inventors: **Karen June Ganovsky**, Windermere, FL (US); **Dianna Varner Seddon**, Oxford, MS (US); **Peng Lee**, Oxford, MS (US)

(73) Assignee: **Neckglasses, LLC**, Oxford, MS (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/512,536**

(22) Filed: **Dec. 19, 2014**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/309**; D16/317; D16/101; D16/306

(58) **Field of Classification Search**
USPC D16/101, 300-342, 900; D29/109, 110; D21/483, 659-661, 324-329, 333, 385, D21/419, 420, 421, 468, 678, 683, 694, D21/771, 811; 2/13, 15, 426-444, 2/447-449, 441, 434-437, 12; 351/41, 351/44-46, 51, 52, 59, 62, 63, 92, 351/103-123, 140-153, 158, 66, 206, 351/209; D14/449, 372, 432, 448, 450, D14/496, 371, 125-129, 299; 150/154; 206/315.1, 316.1; D24/110.2; 345/7-9, 345/905; 455/344; 348/115, 53, 121, 739; D11/1, 4, 8, 16, 206, 209, 222; 63/4, 63/13.38, 33

CPC G02C 3/00-3/02; G02C 5/00; G02C 5/001; G02C 5/006; G02C 5/008; G02C 5/14; G02C 5/16; G02C 2200/00

See application file for complete search history.

296,542 A * 4/1884 Draper A44C 5/00 63/21

316,118 A * 4/1885 Cooke A44C 3/00 63/18

392,558 A * 11/1888 Hinds A44C 11/00 182/190

509,889 A * 12/1893 Gaynor A44C 25/001 428/28

D25,545 S * 5/1896 Kane D11/95

D31,063 S * 6/1899 Boysen D11/17

685,526 A * 10/1901 Perry A44C 25/001 63/23

794,695 A * 7/1905 Bagnell A44C 5/00 24/116 R

1,099,733 A * 6/1914 Beetar A44C 9/00 428/3

1,236,076 A * 8/1917 Fuller A44C 5/00 63/21

1,280,087 A * 9/1918 Reitz A63J 21/00 273/153 R

(Continued)

Primary Examiner — Susan Moon Lee
(74) *Attorney, Agent, or Firm* — Harris, Shelton, Hanover & Walsh; Susan B Fentress

(57) **CLAIM**

The ornamental design for a chain with pendant glasses, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a chain with pendant glasses showing our new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top view thereof; and,
 FIG. 7 is a bottom view thereof.

The chain upon which the pendant glasses hang is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 5 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

76,470 A * 4/1868 Kinsel A44C 5/2095 63/15

169,731 A * 11/1875 Roemer F16G 13/14 59/80

211,558 A * 1/1879 Edwards A44C 9/00 63/15

252,998 A * 1/1882 Brunswick et al. . A44C 5/2095 63/15



(56)

References Cited

U.S. PATENT DOCUMENTS

1,356,375 A *	10/1920	Krantz	A47G 1/06 40/780	5,136,858 A *	8/1992	Bruner	A44C 5/2042 24/650	D319,604 S *	9/1991	Peterson	D11/108
1,362,384 A *	12/1920	Benjamin	A44C 25/002 40/661.05	5,167,356 A *	12/1992	Williams	A44C 25/00 206/8	D324,871 S *	3/1992	Cordet	D11/1
1,412,011 A *	4/1922	Bohm	A44B 15/00 24/3.6	5,303,540 A *	4/1994	Rozenwasser	A44C 11/00 59/3	5,121,614 A *	6/1992	Weiss	A44C 17/0258
1,412,765 A *	4/1922	Willis	A44C 25/002 63/23	5,305,934 A *	4/1994	Grey	A45F 5/00 224/617				
1,621,287 A *	3/1927	Speidel	A44C 11/007 152/243	5,353,608 A *	10/1994	Berkowitz	A44C 15/001 63/1.17				
1,623,172 A *	4/1927	Emrick	F16G 13/14 59/83	5,414,948 A *	5/1995	Kudo	G09F 3/207 40/651				
1,692,649 A *	11/1928	Goodridge	A44C 5/185 24/116 A	5,425,485 A *	6/1995	Carlo	A45F 3/14 224/250				
1,779,029 A *	10/1930	Black	A44B 15/00 59/95	5,444,903 A *	8/1995	Wachler	A44C 3/008 140/102				
1,981,696 A *	11/1934	Harper	B44C 5/00 428/66.5	5,465,466 A *	11/1995	Napier	G02C 3/003 24/3.11				
2,119,436 A *	5/1938	Lauff	A44C 5/185 24/116 A	D364,885 S *	12/1995	Chang	D16/304				
2,218,932 A *	10/1940	Collins	A44B 15/00 24/3.13	5,531,065 A *	7/1996	Rozenwasser	A44C 11/00 59/35.1				
2,228,686 A *	1/1941	Bezault	A44C 15/001 63/1.11	5,535,583 A *	7/1996	Holzer	B21L 15/00 59/35.1				
2,389,312 A *	11/1945	Honza	A47G 1/12 206/0.82	5,557,345 A *	9/1996	Katzenmeyer	A44C 15/003 351/52				
2,521,006 A *	9/1950	Hamilton	A44C 5/107 224/196	D380,404 S *	7/1997	Rozenwasser	D11/17				
D164,228 S *	8/1951	Field	351/157	D380,979 S *	7/1997	Perlmutter	D10/30				
D164,629 S *	9/1951	Fels	D11/11	D382,088 S *	8/1997	Harp	D11/17				
D165,043 S *	11/1951	Ankney	D16/135	D382,830 S *	8/1997	Rozenwasser	D11/13				
D172,913 S *	8/1954	Weinacker	D11/13	5,660,036 A *	8/1997	Rozenwasser	A44C 11/00 59/3				
D174,438 S *	4/1955	Katz	D11/17	D389,084 S *	1/1998	Rozenwasser	D11/17				
2,731,812 A *	1/1956	Sullivan	A44C 25/001 40/530	D394,020 S *	5/1998	Cerato	D11/13				
D177,514 S *	4/1956	Katz	D11/17	5,794,459 A *	8/1998	Ignatowski	A44C 15/003 63/38				
2,751,764 A *	6/1956	Hudes	A45D 34/02 63/1.15	5,806,346 A *	9/1998	Schlinger	A44C 5/2071 24/303				
2,775,093 A *	12/1956	Kundert	A44C 5/102 446/120	5,893,198 A *	4/1999	DeCotis	A44C 5/2038 224/617				
2,778,208 A *	1/1957	Flint	A44C 3/00 428/28	D423,986 S *	5/2000	Ishii	D11/221				
D216,909 S *	3/1970	Cedar	D11/17	D424,964 S *	5/2000	Chia	D11/13				
3,618,338 A *	11/1971	Sauer	A44C 25/004 220/315	6,076,925 A *	6/2000	Kraut	A45F 5/02 24/3.3				
3,670,524 A *	6/1972	Korwin	A44C 17/02 63/18	6,209,306 B1 *	4/2001	Chia	A44C 11/00 59/35.1				
3,678,705 A *	7/1972	Korwin	A44C 17/02 40/639	D447,332 S *	9/2001	Pisarevsky	D3/207				
D236,760 S *	9/1975	Brown	D3/207	6,317,934 B1 *	11/2001	Hiroki	B65D 63/1081 24/16 PB				
4,473,370 A *	9/1984	Weiss	A61F 9/00 604/294	6,370,914 B1 *	4/2002	Bruner	A44C 9/0038 63/15				
4,533,149 A *	8/1985	Vater	F16J 9/14 277/469	6,470,571 B1 *	10/2002	Namiki	A44C 11/005 29/417				
4,674,298 A *	6/1987	Wimmershoff-Caplan	A44C 15/003 224/251	6,532,725 B1 *	3/2003	Chia	A44C 11/00 59/35.1				
D292,411 S *	10/1987	Baptiste	D16/302	6,532,766 B1 *	3/2003	Chia	A44C 11/007 63/26				
D296,726 S *	7/1988	Katz	D3/207	D472,493 S *	4/2003	Chia	D11/13				
4,763,489 A *	8/1988	Strong	A44C 13/00 24/698.3	6,626,333 B2 *	9/2003	Levesque	A45F 3/04 215/399				
4,765,154 A *	8/1988	Martin	A44C 17/0208 63/23	D481,202 S *	10/2003	Hardy	D3/207				
4,891,956 A *	1/1990	MacDonald	A44C 3/00 63/23	D485,779 S *	1/2004	Steckbeck	D11/7				
4,932,396 A *	6/1990	Garris	A61F 5/05875 29/896.412	6,726,069 B2 *	4/2004	Machover	A45F 5/02 224/148.7				
D309,276 S *	7/1990	Mejias	D11/202	D517,939 S *	3/2006	Zoullas	D11/86				
4,970,878 A *	11/1990	Lee	A44C 25/001 63/23	D518,404 S *	4/2006	Maschio	D11/79				
4,996,835 A *	3/1991	Rozenwasser	A44C 11/00 59/3	D518,751 S *	4/2006	Zoullas	D11/86				
				D520,896 S *	5/2006	Levy	D11/12				
				7,107,789 B1 *	9/2006	Bruner	A44C 9/0046 63/15				
				D533,102 S *	12/2006	Zoullas	D11/86				
				D564,574 S *	3/2008	Andrews	D16/330				
				D570,240 S *	6/2008	Gruosi-Scheufele	D11/79				
				D579,373 S *	10/2008	Rosenthal	D11/79				

(56)

References Cited

U.S. PATENT DOCUMENTS

D634,355 S *	3/2011	Dobashi	D16/341	2005/0253998 A1*	11/2005	McDermott	G02C 3/04
D635,483 S *	4/2011	Charles	D11/79					351/56
D635,608 S *	4/2011	Gray	D16/341	2006/0213225 A1*	9/2006	Pratt	A44C 11/002
D650,304 S *	12/2011	Tanory, Jr.	D11/40					63/3.1
D699,147 S *	2/2014	Fissell	D11/95	2007/0000283 A1*	1/2007	Murao	A44C 5/2095
8,739,368 B2 *	6/2014	Murphy, Jr.	A45F 5/00					63/3.2
				24/3.3	2007/0107226 A1*	5/2007	Araujo	A44C 25/001
D708,984 S *	7/2014	MacNeil	D11/1					29/896.4
D713,444 S	9/2014	Lee et al.			2007/0234757 A1*	10/2007	Sherman	A44C 25/002
D715,175 S *	10/2014	Wanke	D11/79					63/18
D716,639 S *	11/2014	Kelleghan	D8/356	2007/0236650 A1*	10/2007	Jain	G02C 3/003
D717,195 S *	11/2014	Taylor-Cattapan	D11/17					351/41
9,066,575 B2 *	6/2015	Lee-Holowka	A45F 5/02	2008/0078206 A1*	4/2008	Wright	G04B 47/04
D749,456 S *	2/2016	Gruosi	D11/43					63/13
D750,155 S *	2/2016	Ganovsky	D16/101	2008/0231796 A1*	9/2008	Zoullas	G02C 3/003
D766,124 S *	9/2016	Ochoa	D11/80					351/52
2002/0035828 A1*	3/2002	Chia	A44C 11/00	2012/0063126 A1*	3/2012	Nickel	A44C 3/004
				59/80					362/183
2002/0194868 A1*	12/2002	Bordin	B21L 11/005	2012/0174626 A1*	7/2012	Larson	A44C 11/002
				63/4					63/3.1
2003/0110798 A1*	6/2003	Ignatowski	A44C 15/001	2013/0263625 A1*	10/2013	Taylor-Cattapan	A44C 17/0258
				63/38					63/4
2003/0131449 A1*	7/2003	McCormack	A44C 25/00	2015/0013384 A1*	1/2015	Weems	A44C 13/00
				24/3.4					63/18
2003/0154742 A1*	8/2003	Ooide	A44C 5/185	2015/0013385 A1*	1/2015	Weems	A44C 13/00
				63/38					63/18
2005/0138962 A1*	6/2005	Berge	A44C 25/00	2015/0089976 A1*	4/2015	Alulis	A44C 25/002
				63/13					63/21
2005/0241115 A1*	11/2005	Zoullas	A44C 15/003	2015/0143847 A1*	5/2015	Weems	A44C 13/00
				24/3.3					63/18
					2015/0320156 A1*	11/2015	Meisenbach	A44C 25/002
									63/1.14

* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 5



FIG. 4




FIG. 6




FIG. 7