



US00D774272S

(12) **United States Design Patent** (10) **Patent No.:** **US D774,272 S**
Suggs et al. (45) **Date of Patent:** **** *Dec. 13, 2016**

- (54) **SAFE**
- (71) Applicant: **Rhino Metals, Inc.**, Caldwell, ID (US)
- (72) Inventors: **Donald Suggs**, Boise, ID (US); **Scott Moore**, Nampa, ID (US)
- (73) Assignee: **RHINO METALS, INC.**, Caldwell, ID (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/543,062**
- (22) Filed: **Oct. 20, 2015**

Related U.S. Application Data

- (63) Continuation of application No. 29/524,424, filed on Apr. 20, 2015, now Pat. No. Des. 744,715, which is a continuation of application No. 29/452,204, filed on Apr. 12, 2013, now Pat. No. Des. 728,189.
- (51) **LOC (10) Cl.** **99-00**
- (52) **U.S. Cl.**
USPC **D99/28**
- (58) **Field of Classification Search**
USPC D99/28, 34, 35, 36, 43, 99; 109/1 R, 1 V, 109/2, 45; 902/9, 30; 235/100; 206/0.8, 206/0.815, 0.82; 312/400, 409
CPC F42B 39/24; E05B 65/0075; E05G 1/00; E05G 1/005; E05G 5/00; E05G 2700/00; E05G 2700/02; E05G 2700/04; E05G 5/02; G05G 1/024; G07D 11/0006; G07D 11/0009; G07D 9/002; G07D 9/004; G07D 9/008; G07D 11/009; G07F 9/06; G07F 9/003; G07F 17/10; G07F 17/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D3,772 S	11/1869	Marvin	
166,107 A	7/1875	Hyatt	
195,219 A *	9/1877	Kingham G08B 13/149
			109/38
470,818 A *	3/1892	Damon et al. E05G 1/024
			109/53
1,048,774 A *	12/1912	Whittman A45C 1/12
			232/4 R
1,256,869 A *	2/1918	Blixt et al. B63C 7/30
			109/53
D87,772 S	9/1932	Wolters	
D103,629 S	3/1937	Davis	
2,081,271 A	5/1937	Ellithorpe	
2,088,459 A	7/1937	Bennett et al.	
D118,366 S	1/1940	Davis	
D120,335 S	5/1940	Bescherer	
D120,336 S	5/1940	Bescherer	
D120,337 S	5/1940	Bescherer	
D273,052 S	3/1984	Snodgrass	
4,669,394 A *	6/1987	Fogleman E05G 1/02
			109/59 T
D291,019 S	7/1987	Druihet	

(Continued)

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Phillips Ryther & Winchester; Matthew D. Thayne



(57) **CLAIM**

The ornamental design for a safe, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left side perspective view of a safe showing our new design; and, FIG. 2 is a bottom, rear, right side perspective view thereof. The broken lines shown in the drawings represent portions of the safe that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,838,052 A * 6/1989 Williams E05B 19/0005
 109/52
 D308,279 S 5/1990 Hill
 D308,744 S 6/1990 Arauchi
 D314,406 S * 2/1991 Lerch D21/519
 D380,793 S * 7/1997 Conwell D21/519
 D485,041 S * 1/2004 Paris D99/28
 D487,179 S 2/2004 Traversie et al.
 D493,270 S 7/2004 Lynch et al.
 D495,113 S * 8/2004 Lynch D6/705.5
 D498,895 S 11/2004 Lynch et al.
 D586,525 S 2/2009 Pendleton
 D598,175 S 8/2009 Pendleton
 D619,775 S 7/2010 Pendleton
 D620,675 S 7/2010 Doettling
 D623,824 S 9/2010 Pendleton
 D659,944 S 5/2012 Pendleton
 D673,345 S * 12/2012 Pendleton D6/703
 D688,024 S * 8/2013 Metlen D99/28
 D698,515 S 1/2014 Kim
 D728,189 S 4/2015 Suggs et al.
 D729,490 S * 5/2015 Pannier D99/43
 D744,190 S * 11/2015 Pannier D99/43
 D744,715 S * 12/2015 Suggs D99/28
 2003/0141794 A1 7/2003 Cleveland et al.

* cited by examiner




FIG. 1




FIG. 2