



US00D774413S

(12) **United States Design Patent** (10) **Patent No.:** **US D774,413 S**
Paik et al. (45) **Date of Patent:** **** Dec. 20, 2016**

(54) **FEMALE MEMBER OF MAGNETIC BUCKLE**

(71) Applicant: **WOJIN PLASTIC CO., LTD.**,
Gyeonggi-do (KR)

(72) Inventors: **Jisook Paik**, Seoul (KR); **Nan Hee Paik**, Seoul (KR); **Ji Hye Paik**, Seoul (KR); **Ji Won Son**, Seoul (KR)

(73) Assignee: **WOJIN PLASTIC CO., LTD.**,
Gyeonggi-do (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/522,514**

(22) Filed: **Mar. 31, 2015**

(30) **Foreign Application Priority Data**

Jan. 27, 2015 (KR) 30-2015-0004227

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/216**

(58) **Field of Classification Search**
USPC D11/1-2, 200-201, 206-210, 214-218;
24/163 R, 169-171, 173, 177-179, 191,
24/194-195, 197, 200, 614-616, 625,
24/198, 578.11, 578.1, 163 K, 114
CPC A44B 11/26; A44B 11/25; A44B 11/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D190,487 S * 6/1961 Wood D11/200
D400,474 S * 11/1998 Chou D11/216
D485,209 S * 1/2004 Tracy D11/216
D514,474 S * 2/2006 Neri D11/200

D523,375 S * 6/2006 Nezu D11/216
D595,184 S * 6/2009 Yoshiguchi D11/216
D602,397 S * 10/2009 Heroux D11/200
D625,643 S * 10/2010 Desser D11/87
D629,712 S * 12/2010 Humphries D11/87
D630,543 S * 1/2011 Humphries D11/87
D635,885 S * 4/2011 Humphries D11/87
D642,954 S * 8/2011 Humphries D11/87
D651,936 S * 1/2012 Humphries D11/87
D652,341 S * 1/2012 Humphries D11/87
D671,442 S * 11/2012 Paik D11/216
D749,983 S * 2/2016 Paik D11/216

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Norris McLaughlin & Marcus, P.A.

(57) **CLAIM**

We claim, the ornamental design for a female member of magnetic buckle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a female member of magnetic buckle, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and
FIG. 8 is a cross-sectional view taken along the lines VIII-VIII of FIG. 2; and,
FIG. 9 is a perspective view thereof engaged with a male member of magnetic buckle.
The broken lines showing a male member in FIG. 9 are included for the purpose of illustrating the invention in use, and form no part of the claimed invention.

1 Claim, 3 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

