



US00D774457S

(12) **United States Design Patent**
Urano et al.

(10) **Patent No.:** **US D774,457 S**
(45) **Date of Patent:** **** Dec. 20, 2016**

(54) **ELECTRICAL CONNECTOR**

(71) Applicant: **Japan Aviation Electronics Industry, Limited, Tokyo (JP)**

(72) Inventors: **Tetsu Urano, Tokyo (JP); Takaaki Kudo, Tokyo (JP)**

(73) Assignee: **JAPAN AVIATION ELECTRONICS INDUSTRY, LIMITED, Tokyo (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/516,843**

(22) Filed: **Feb. 6, 2015**

(30) **Foreign Application Priority Data**

Aug. 20, 2014 (JP) 2014-018098

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133**

(58) **Field of Classification Search**
USPC D13/118, 123, 133-135, 146-151, 153,
D13/154-156, 161, 173, 184, 199
CPC H01R 4/00; H01R 4/60; H01R 4/66;
H01R 13/00; H01R 13/40; H01R 13/44;
H01R 13/52; H01R 13/58; H01R 13/62;
H01R 13/64; H01R 13/66; H01R 24/38;
H01R 43/00; H01R 43/18; H01R 43/22;
G02B 6/38

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D320,383 S * 10/1991 Oka D13/154
D372,223 S * 7/1996 Hanazaki D13/161
6,050,861 A * 4/2000 Genta H01R 13/4362
439/752
D474,748 S * 5/2003 Naganawa D13/147

D577,338 S * 9/2008 Yamagami D13/147
7,588,459 B2 * 9/2009 Sugii H01R 13/743
343/715
D654,026 S * 2/2012 Shioda D13/133
(Continued)

OTHER PUBLICATIONS

Space saving SMT card edge connector, dated May 8, 2014, [online], [site visited Sep. 21, 2016]. Available from Internet, <URL: <http://www.texim-europe.com/news/835>>.*

(Continued)

Primary Examiner — Thomas Johannes

Assistant Examiner — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka



(57) **CLAIM**

The ornamental design for an electrical connector, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an electrical connector showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a plan view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a perspective view showing a front, top and right side thereof;
FIG. 8 is a perspective view showing a rear, bottom and left side thereof;
FIG. 9 is a perspective view showing a front, right side and bottom thereof; and,
FIG. 10 is a perspective view showing a rear, left side and top thereof.
The broken lines are shown for environmental purposes only and depict portions of the electrical connector that form no part of claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,870,588 B2 * 10/2014 Kudo 439/375
D745,461 S * 12/2015 Cho D13/146
2009/0317990 A1 * 12/2009 Mostoller H01R 12/57
439/83
2012/0264326 A1 * 10/2012 Kudo H01R 12/57
439/375
2013/0012068 A1 * 1/2013 Naito H01R 12/714
439/625
2015/0249303 A1 * 9/2015 Yin H01R 13/64
439/357

OTHER PUBLICATIONS

Inverted thru-board connector, dated Jan. 13, 2014, [online], [site visited Sep. 21, 2016]. Available from Internet, <URL: <https://www.powersystemsdesign.com/inverted-thru-board-connectors-offer-low-profile-space-savings-for-led-lighting-apps/6>>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10