



US00D774513S

(12) **United States Design Patent**
Cobbett et al.

(10) **Patent No.:** **US D774,513 S**

(45) **Date of Patent:** **** Dec. 20, 2016**

(54) **BIOMETRIC DATA STORAGE DEVICE**

(71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)

(72) Inventors: **Jamian R. Cobbett**, Portland, OR (US); **Quinn Fitzgerald**, San Francisco, CA (US); **Chris Harsacky**, San Francisco, CA (US); **William D. Webb**, San Francisco, CA (US)

(73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,380**

(22) Filed: **Oct. 2, 2015**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/480.4**

(58) **Field of Classification Search**
USPC D14/435.1, 480.1–480.7, 411, 433, 436,
D14/484.1, 137, 155, 203.1–203.8, 240,
D14/242; D13/133, 154
CPC H05K 5/0278; G06K 19/07732
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D489,069 S *	4/2004	Lin	D14/385
D534,448 S *	1/2007	Shaffer, II	D10/104.1
D558,763 S *	1/2008	Morganstern	D14/480.7
D574,822 S *	8/2008	Bhavnani	D10/15
D622,276 S *	8/2010	Tran	D14/480.1
D638,430 S *	5/2011	Lee	D13/133
D655,708 S *	3/2012	Frank	D14/435.1

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for a biometric data storage device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a biometric data storage device showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is a bottom perspective view thereof; FIG. 9 is a front perspective view of a second embodiment of a biometric data storage device showing our new design; FIG. 10 is a front view thereof; FIG. 11 is a rear view thereof; FIG. 12 is a right side view thereof; FIG. 13 is a left side view thereof; FIG. 14 is a top view thereof; FIG. 15 is a bottom view thereof; FIG. 16 is a bottom perspective view thereof; FIG. 17 is a front perspective view of a third embodiment of a biometric data storage device showing our new design; FIG. 18 is a front view thereof; FIG. 19 is a rear view thereof; FIG. 20 is a right side view thereof; FIG. 21 is a left side view thereof; FIG. 22 is a top view thereof; FIG. 23 is a bottom view thereof; and, FIG. 24 is a bottom perspective view thereof.

The broken lines immediately adjacent to the shaded area represent unclaimed boundaries of the design. The broken lines of the biometric data storage device in the figures and the unshaded regions therein are for environmental purposes only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D659,144 S *	5/2012	Lee	D13/133
D682,841 S *	5/2013	Suetake	D14/480.1
D707,234 S *	6/2014	Tan	D14/480.1
D707,690 S *	6/2014	Billington	D14/480.7
D737,202 S *	8/2015	Liu	D13/108
D741,865 S *	10/2015	Sundermeyer	D14/433

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24