



US00D774590S

(12) **United States Design Patent**
Thixton

(10) **Patent No.:** **US D774,590 S**

(45) **Date of Patent:** **** Dec. 20, 2016**

(54) **EYEGLASS**

(71) Applicant: **Oakley, Inc.**, Foothill Ranch, CA (US)

(72) Inventor: **Lek Haagen Thixton**, Eastsound, WA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/543,973**

(22) Filed: **Oct. 29, 2015**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/315**

(58) **Field of Classification Search**
USPC D16/101, 300-342, 900; D29/109-110;
351/41, 44, 51-52, 62, 158, 92, 103-123,
351/140-153, 63, 59, 45-48; 2/426-432,
2/447-449, 441, 434-437, 440, 442, 13,
2/15; D21/483, 659-661; D14/372;
D8/356

CPC G02C 2200/08; G02C 1/06; G02C 5/14;
G02C 11/02; G02C 11/04; G01C 5/16;
A61M 2021/0044; A63B 33/002

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,288,423 A	6/1942	Root	
3,066,573 A	12/1962	Moeller	
3,565,517 A	2/1971	Gitlin et al.	
D323,333 S	1/1992	Jannard et al.	
D334,389 S	3/1993	Bolle	
D335,887 S	5/1993	Jannard	
5,208,614 A *	5/1993	Jannard	A61F 9/02 351/158
D342,959 S	1/1994	Jannard et al.	
D350,145 S	8/1994	Yamamoto	
D358,828 S	5/1995	Jannard et al.	
D359,971 S	7/1995	Jannard	

D365,357 S	12/1995	Jannard et al.	
D374,448 S	10/1996	Yee et al.	
D376,163 S	12/1996	Jannard et al.	
D384,362 S *	9/1997	Yee	D16/314
D397,132 S	8/1998	Yee	
D401,607 S	11/1998	Miniutti	
D426,254 S	6/2000	Nishimura	
D462,081 S *	8/2002	Wolfe	D16/314
D505,150 S	5/2005	Yee et al.	
D508,515 S	8/2005	Yee et al.	
D513,025 S	12/2005	Canavan	
D513,761 S	1/2006	Yee et al.	
D533,572 S	12/2006	Howard et al.	
D543,572 S	5/2007	Yee et al.	
D568,365 S	5/2008	Fuchs	

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/543,951, filed Oct. 29, 2015, Uhm.
(Continued)

Primary Examiner — Raphael Barkai
(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear, LLP


(57) **CLAIM**

The ornamental design for an eyeglass, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an eyeglass showing an embodiment of the new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, the right side elevational view being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken lines in the Figures show portions of the eyeglass which form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D568,917 S	5/2008	Yee	
D581,444 S	11/2008	Jannard et al.	
D585,474 S	1/2009	Tu	
D588,627 S	3/2009	Yee et al.	
D599,835 S	9/2009	Yee	
D599,836 S	9/2009	Rohrbach	
D604,757 S	11/2009	Yee	
D605,686 S	* 12/2009	Yasuhara D16/314
D614,685 S	4/2010	Moritz	
D622,302 S	8/2010	Yee	
D622,303 S	* 8/2010	Thixton D16/314
D629,036 S	12/2010	Yee et al.	
D653,697 S	2/2012	Taylor et al.	
D655,741 S	3/2012	Yee	
D659,180 S	5/2012	Moritz	
D683,784 S	6/2013	Miera	
D703,733 S	4/2014	Thixton et al.	
D711,962 S	8/2014	Thixton	
D714,858 S	10/2014	Thixton	
D728,002 S	4/2015	Uhm	
D729,305 S	5/2015	Garfias	
D737,364 S	8/2015	Shin	
D746,355 S	12/2015	Uhm	

OTHER PUBLICATIONS

U.S. Appl. No. 29/543,961, filed Oct. 29, 2015, Thixton.
Amazon.com, Inc. Website (Japan Patent Office, Design Division, Publicly-Known Document No. HJ25024614).
Safety Products Catalog No. 6 p. 24 1320-S (Japan Patent Office, Design Division, Publicly-Known Document No. HC17038755).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6