



US00D775085S

(12) **United States Design Patent** (10) **Patent No.:** **US D775,085 S**  
**Hachisuka et al.** (45) **Date of Patent:** **\*\* Dec. 27, 2016**

(54) **GASKET FOR CARBON FIBER COMPOSITE CABLE**

(71) Applicant: **TOKYO ROPE MFG. CO. LTD,**  
Tokyo (JP)

(72) Inventors: **Shunji Hachisuka**, Kasumigaura (JP);  
**Hiroshi Kimura**, Noda (JP); **Daisuke Manabe**, Kasumigaura (JP); **Yoshihiro Tamura**, Kashiwa (JP)

(73) Assignee: **Tokyo Rope Mfg. Co.,** Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/504,013**

(22) Filed: **Oct. 1, 2014**

(30) **Foreign Application Priority Data**

May 8, 2014 (JP) ..... 2014-009840  
May 8, 2014 (JP) ..... 2014-009841  
May 8, 2014 (JP) ..... 2014-009842  
May 8, 2014 (JP) ..... 2014-009843  
May 8, 2014 (JP) ..... 2014-009844  
May 8, 2014 (JP) ..... 2014-009845

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/153**

(58) **Field of Classification Search**  
USPC ..... D13/153, 154, 131, 157, 156, 184, 155;  
D8/356, 376; D3/10; D24/232; D9/711;  
D15/199, 135; 57/241, 220  
CPC ..... D07B 1/0686; D07B 1/02  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D344,063 S \* 2/1994 Letarte ..... D13/131  
D374,174 S \* 10/1996 McClellan ..... D13/154  
D376,786 S \* 12/1996 Binzel, Jr. .... D13/153  
D381,008 S \* 7/1997 Parsons ..... D13/153

D385,476 S \* 10/1997 Hill ..... D8/356  
D404,363 S \* 1/1999 Pyle ..... D13/154  
D408,365 S \* 4/1999 Sanders ..... D13/153  
D408,621 S \* 4/1999 Kuo ..... D3/10  
D451,003 S \* 11/2001 Proell-Immekus ..... D8/376  
D460,740 S \* 7/2002 Montena ..... D13/154  
D460,947 S \* 7/2002 Montena ..... D13/154  
D460,948 S \* 7/2002 Montena ..... D13/154  
D463,777 S \* 10/2002 Mellgren ..... D13/157  
D464,875 S \* 10/2002 Koppang ..... D9/711  
D472,220 S \* 3/2003 Mellgren ..... D13/157  
D498,731 S \* 11/2004 Haerberle ..... D13/156  
D512,025 S \* 11/2005 Frederick ..... D13/153  
D519,931 S \* 5/2006 Van Haaster ..... D13/153  
D567,961 S \* 4/2008 Yajima ..... D24/232  
D573,101 S \* 7/2008 Ng ..... D13/153  
D575,632 S \* 8/2008 Morelock ..... D8/356  
D582,454 S \* 12/2008 Davies ..... D15/199  
D582,455 S \* 12/2008 Davies ..... D15/199  
D582,456 S \* 12/2008 Davies ..... D15/199  
D587,101 S \* 2/2009 Morgan ..... D8/356  
D597,032 S \* 7/2009 Yamamoto ..... D13/153  
D598,275 S \* 8/2009 Rowell ..... D8/356  
D599,196 S \* 9/2009 Ruffin ..... D8/356  
D620,898 S \* 8/2010 Wang ..... D13/184  
D628,461 S \* 12/2010 Stein, Jr. .... D8/356  
D634,340 S \* 3/2011 Luotoharju ..... D15/135  
D634,342 S \* 3/2011 Luotoharju ..... D15/135  
D645,022 S \* 9/2011 Lee ..... D13/154  
D653,100 S \* 1/2012 Chen ..... D8/356  
D663,699 S \* 7/2012 Nakamura ..... D13/156  
8,250,845 B2 \* 8/2012 Kimura ..... D07B 1/02  
57/241  
D680,083 S \* 4/2013 Olson ..... D13/156  
D680,966 S \* 4/2013 Gross ..... D13/155  
D680,967 S \* 4/2013 Gross ..... D13/155  
D680,969 S \* 4/2013 Gross ..... D13/155  
D704,144 S \* 5/2014 Tangalakis ..... D13/153  
D747,691 S \* 1/2016 Disantis ..... D13/153  
2013/0318937 A1 \* 12/2013 Takeuchi ..... D07B 1/0686  
57/220


\* cited by examiner

*Primary Examiner* — Rhea Shields

(74) *Attorney, Agent, or Firm* — Eaton & Van Winkle  
LLP; Charles E. Miller

(57) **CLAIM**

The ornamental design for a gasket for carbon fiber composite cable, as shown and described.



## DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a gasket for carbon fiber composite cable, showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front view of the half-body thereof;

FIG. 9 is a rear view of the half-body thereof;

FIG. 10 is a left side view of the half-body thereof;

FIG. 11 is a right side view of the half-body thereof;

FIG. 12 is a top view of the half-body thereof;

FIG. 13 is a bottom view of the half-body thereof;

FIG. 14 is a perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 15 is an exploded perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 16 is a front, top and left side perspective view of a second embodiment of a gasket for carbon fiber composite cable, showing our new design;

FIG. 17 is a front view thereof;

FIG. 18 is a rear view thereof;

FIG. 19 is a left side view thereof;

FIG. 20 is a right side view thereof;

FIG. 21 is a top view thereof;

FIG. 22 is a bottom view thereof;

FIG. 23 is a front view of one third-body thereof;

FIG. 24 is a rear view of one third-body thereof;

FIG. 25 is a left side view of one third-body thereof;

FIG. 26 is a right side view of one third-body thereof;

FIG. 27 is a top view of one third-body thereof;

FIG. 28 is a bottom view of one third-body thereof;

FIG. 29 is a perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 30 is an exploded perspective of the gasket for carbon fiber composite cable shown in an environment.

FIG. 31 is a front, top and left side perspective view of a third embodiment of a gasket for carbon fiber composite cable, showing our new design;

FIG. 32 is a front view thereof;

FIG. 33 is a rear view thereof;

FIG. 34 is a left side view thereof;

FIG. 35 is a right side view thereof;

FIG. 36 is a top view thereof;

FIG. 37 is a bottom view thereof;

FIG. 38 is a front view of one quarter-body thereof;

FIG. 39 is a rear view of one quarter-body thereof;

FIG. 40 is a left side view of one quarter-body thereof;

FIG. 41 is a right side view of one quarter-body thereof;

FIG. 42 is a top view of one quarter-body thereof;

FIG. 43 is a bottom view of one quarter-body thereof;

FIG. 44 is a perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 45 is an exploded perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 46 is a front, top and left side perspective view of a fourth embodiment of a gasket for carbon fiber composite cable, showing our new design;

FIG. 47 is a front view thereof;

FIG. 48 is a rear view thereof;

FIG. 49 is a left side view thereof;

FIG. 50 is a right side view thereof;

FIG. 51 is a top view thereof;

FIG. 52 is a bottom view thereof;

FIG. 53 is a front view of the half-body thereof;

FIG. 54 is a rear view of the half-body thereof;

FIG. 55 is a left side view of the half-body thereof;

FIG. 56 is a right side view of the half-body thereof;

FIG. 57 is a top view of the half-body thereof;

FIG. 58 is a bottom view of the half-body thereof;

FIG. 59 is a perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 60 is an exploded perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 61 is a front, top and left side perspective view of a fifth embodiment of a gasket for carbon fiber composite cable, showing our new design;

FIG. 62 is a front view thereof;

FIG. 63 is a rear view thereof;

FIG. 64 is a left side view thereof;

FIG. 65 is a right side view thereof;

FIG. 66 is a top view thereof;

FIG. 67 is a bottom view thereof;

FIG. 68 is a front view of one third-body thereof;

FIG. 69 is a rear view of one third-body thereof;

FIG. 70 is a left side view of one third-body thereof;

FIG. 71 is a right side view of one third-body thereof;

FIG. 72 is a top view of one third-body thereof;

FIG. 73 is a bottom view of one third-body thereof;

FIG. 74 is a perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 75 is an exploded perspective view of the gasket for carbon fiber composite cable shown in an environment.

FIG. 76 is a front, top and left side perspective view of a sixth embodiment of a gasket for carbon fiber composite cable, showing our new design;

FIG. 77 is a front view thereof;

FIG. 78 is a rear view thereof;

FIG. 79 is a left side view thereof;

FIG. 80 is a right side view thereof;

FIG. 81 is a top view thereof;

FIG. 82 is a bottom view thereof;

FIG. 83 is a front view of one quarter-body thereof;

FIG. 84 is a rear view of one quarter-body thereof;

FIG. 85 is a left side view of one quarter-body thereof;

FIG. 86 is a right side view of one quarter-body thereof;

FIG. 87 is a top view of one quarter-body thereof;


FIG. 88 is a bottom view of one quarter-body thereof;

FIG. 89 is a perspective view of the gasket for carbon fiber composite cable shown in an environment; and,


FIG. 90 is an exploded perspective view of the gasket for carbon fiber composite cable shown in an environment.

In FIGS. 14, 15, 29, 30, 44, 45, 59, 60, 74, 75, 89 and 90, the broken lines are for the purpose of illustrating environment only and form no part of the claimed design.


The front view shows only a part of the design, which actually extends in horizontal directions.




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*




*Fig. 9*




*Fig. 10*




*Fig. 11*




*Fig. 12*




*Fig. 13*




*Fig. 14*




*Fig. 15*




*Fig. 16*




*Fig. 17*




*Fig. 18*




*Fig. 19*




*Fig. 20*



*Fig. 21*




*Fig. 22*



*Fig. 23*






*Fig. 24*



*Fig. 25*




*Fig. 26*




*Fig. 27*




*Fig. 28*




*Fig. 29*




*Fig. 30*




*Fig.31*




*Fig.32*




*Fig.33*




*Fig.34*



*Fig.35*




*Fig.36*



*Fig.37*



*Fig.38*




*Fig. 39*



*Fig. 40*




*Fig. 41*




*Fig. 42*




*Fig. 43*




*Fig. 44*




*Fig. 45*




*Fig. 46*




*Fig. 47*




*Fig. 48*




*Fig. 49*




*Fig. 50*



*Fig. 51*




*Fig. 52*



*Fig. 53*






*Fig.54*




*Fig.55*




*Fig.56*




*Fig.57*




*Fig.58*




*Fig. 59*




*Fig. 60*




*Fig. 61*




*Fig. 62*




*Fig. 63*




*Fig. 64*




*Fig. 65*




*Fig. 66*



*Fig. 67*



*Fig. 68*




*Fig. 69*




*Fig. 70*




*Fig. 71*




*Fig. 72*




*Fig. 73*




*Fig. 74*




*Fig. 75*




*Fig. 76*




*Fig. 77*




*Fig. 78*




*Fig. 79*




*Fig. 80*



*Fig. 81*




*Fig. 82*



*Fig. 83*






*Fig. 84*



*Fig. 85*




*Fig. 86*




*Fig. 87*



*Fig. 88*



*Fig. 89*



*Fig. 90*