



US00D775115S

(12) **United States Design Patent** (10) **Patent No.:** **US D775,115 S**
Ormsbee et al. (45) **Date of Patent:** **** Dec. 27, 2016**

(54) **MOUNTABLE ELECTRONIC DEVICE
HOLDER**

(71) Applicant: **Nite Ize, Inc.**, Boulder, CO (US)

(72) Inventors: **Bowden Ormsbee**, Longmont, CO
(US); **Gregory M. Adelman**, Boulder,
CO (US); **Ian M. Core**, Pittsburgh, PA
(US)

(73) Assignee: **Nite Ize, Inc.**, Boulder, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/503,295**

(22) Filed: **Sep. 24, 2014**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/253**

(58) **Field of Classification Search**
USPC D14/253, 432, 434, 440, 447, 439, 451,
D14/452, 457, 250, 251; D12/415, 114,
D12/420, 417, 223; D6/406.3, 406.4,
D6/406.5, 406.6; D3/218
CPC H04M 1/04; H04M 1/06; H04M 1/11;
H04M 1/12; F16M 13/00; B60R 11/00;
B60R 11/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,931,440	A	8/1999	Miller	
5,979,724	A	11/1999	Loewenthal, Jr. et al.	
D571,278	S *	6/2008	Carnevali	D12/223
D692,897	S *	11/2013	Luijben	D14/447
D696,673	S *	12/2013	Vogel	D14/447
D696,674	S *	12/2013	Vogel	D14/447
8,602,376	B2 *	12/2013	Vogel	F16M 11/14 248/187.1
D716,215	S *	10/2014	Dunn	D12/415
D720,759	S *	1/2015	Deng	D14/447
D732,519	S *	6/2015	Aspinall	D14/253
D734,746	S *	7/2015	Vogel	D14/253

D750,612	S *	3/2016	Chen	D14/253
D750,633	S *	3/2016	Minn	D14/447
2014/0103087	A1 *	4/2014	Fan	B60R 11/02 224/544
2014/0138419	A1 *	5/2014	Minn	B60R 11/0241 224/567

(Continued)

OTHER PUBLICATIONS

International Search Report in co-pending PCT Application No.
PCT/US2015/051448 dated Dec. 14, 2015, 3 pages.

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Janice Hallmark

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**

The ornamental design for a mountable electronic device
holder, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a mountable electronic
device holder;

FIG. 2 is a bottom perspective view of the mountable
electronic device holder of FIG. 1;

FIG. 3 is a top view of the mountable electronic device
holder of FIG. 1;

FIG. 4 is a front view of the mountable electronic device
holder of FIG. 1;

FIG. 5 is a bottom view of the mountable electronic device
holder of FIG. 1;



FIG. 6 is a rear view of the mountable electronic device
holder of FIG. 1;

FIG. 7 is a right side view of the mountable electronic device
holder of FIG. 1; and,

FIG. 8 is a left side view of the mountable electronic device
holder of FIG. 1.

The broken lines in the drawings depict parts of the mount-
able electronic device holder that form no part of the claimed
design.

1 Claim, 4 Drawing Sheets



References Cited

2014/0265765	A1	9/2014	Khodapanah et al.	
2016/0052370	A1 *	2/2016	Esses	B60H 3/0028 239/1
2016/0082893	A1 *	3/2016	Ormsbee	B60R 11/00 224/558

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

