



US00D775515S

(12) **United States Design Patent**  
**Jansson**

(10) **Patent No.:** **US D775,515 S**

(45) **Date of Patent:** **\*\* Jan. 3, 2017**

(54) **ROPE HITCH**

(71) Applicant: **Anders Jansson**, Helsinki (FI)

(72) Inventor: **Anders Jansson**, Helsinki (FI)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/557,138**

(22) Filed: **Mar. 7, 2016**

|               |         |         |       |           |
|---------------|---------|---------|-------|-----------|
| D354,677 S *  | 1/1995  | Troyer  | ..... | D26/138   |
| 5,524,327 A * | 6/1996  | Mickel  | ..... | F16L 3/00 |
|               |         |         |       | 24/115 A  |
| D408,269 S *  | 4/1999  | Ross    | ..... | D8/356    |
| D454,483 S *  | 3/2002  | Wolf    | ..... | D8/394    |
| D470,034 S *  | 2/2003  | Wu      | ..... | D8/356    |
| D477,770 S *  | 7/2003  | Baker   | ..... | D8/373    |
| D497,305 S *  | 10/2004 | Perri   | ..... | D8/356    |
| D512,904 S *  | 12/2005 | Thaler  | ..... | D8/356    |
| D532,292 S *  | 11/2006 | Duwel   | ..... | D8/395    |
| D576,406 S *  | 9/2008  | Chan    | ..... | D3/318    |
| D629,671 S *  | 12/2010 | Ohuri   | ..... | D8/356    |
| D697,784 S *  | 1/2014  | Lavelle | ..... | D8/356    |
| D759,474 S *  | 6/2016  | Pittman | ..... | D8/395    |

**Related U.S. Application Data**

(62) Division of application No. 29/478,791, filed on Jan. 8, 2014, now Pat. No. Des. 755,039.

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/356**

(58) **Field of Classification Search**  
USPC ..... D8/356, 354, 349; 248/215  
CPC ..... E02D 5/803; B63B 21/045; B63B 59/02;  
B60D 1/18; B60P 7/0823; A44B 13/0029;  
A63B 27/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|               |         |           |       |             |
|---------------|---------|-----------|-------|-------------|
| 522,770 A *   | 7/1894  | Whitehead | ..... | A01L 1/02   |
|               |         |           |       | 168/24      |
| 1,808,328 A * | 6/1931  | Thomson   | ..... | F16L 3/1215 |
|               |         |           |       | 248/300     |
| 4,087,157 A * | 5/1978  | Hodges    | ..... | G02B 6/3801 |
|               |         |           |       | 385/70      |
| D281,393 S *  | 11/1985 | Karnhag   | ..... | D6/552      |

\* cited by examiner

*Primary Examiner* — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Seppo Laine Oy

(57) **CLAIM**

The ornamental design for a rope hitch, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom view of a rope hitch showing an embodiment of the design of the invention.

FIG. 2 is an end view thereof.

FIG. 3 is a front, elevation view thereof.

FIG. 4 is an opposite end view thereof.

FIG. 5 is a top view thereof.


FIG. 6 is a back view thereof.

FIG. 7 is a perspective view thereof.

FIG. 8 is another perspective view thereof; and,

FIG. 9 is yet another perspective view thereof.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9