



US00D775633S

(12) **United States Design Patent** (10) **Patent No.:** **US D775,633 S**
Wu (45) **Date of Patent:** **** Jan. 3, 2017**

(54) **PORTION OF A DISPLAY HAVING A GRAPHICAL USER INTERFACE WITH TRANSITIONAL ICON**

(71) Applicant: **Snap Inc.**, Venice, CA (US)

(72) Inventor: **William Wu**, Orinda, CA (US)

(73) Assignee: **Snap Inc.**, Venice, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/506,352**

(22) Filed: **Oct. 15, 2014**

(51) **LOC (10) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/485**; D14/486

(58) **Field of Classification Search**
USPC D14/485-495; 715/763, 772, 810

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,784,056 A * 7/1998 Nielsen G06F 3/04812
715/839

D508,248 S * 8/2005 Ording D14/487
(Continued)

Primary Examiner — Barbara Fox

Assistant Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(57) **CLAIM**

The ornamental design for a portion of a display having a graphical user interface with a transitional icon, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a portion of a display having a graphical user interface with a transitional icon, showing my new design, according to a first embodiment and illustrating a first image thereof.

FIG. 2 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the first embodiment and illustrating a second image thereof.

FIG. 3 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the first embodiment and illustrating a third image thereof.

FIG. 4 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the first embodiment and illustrating a fourth image thereof.

FIG. 5 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the first embodiment and illustrating a fifth image thereof.

FIG. 6 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the first embodiment and illustrating a sixth image thereof.

FIG. 7 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the first embodiment and illustrating a seventh image thereof.

FIG. 8 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the first embodiment and illustrating an eighth image thereof.

FIG. 9 is a front view of a portion of a display having a graphical user interface with a transitional icon, according to a second embodiment and illustrating a first image thereof.

FIG. 10 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the second embodiment and illustrating a second image thereof.

FIG. 11 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the second embodiment and illustrating a third image thereof.

FIG. 12 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the second embodiment and illustrating a fourth image thereof.

(Continued)




FIG. 13 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the second embodiment and illustrating a fifth image thereof.

FIG. 14 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the second embodiment and illustrating a sixth image thereof.

FIG. 15 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the second embodiment and illustrating a seventh thereof; and,

FIG. 16 is a front view of a portion of the display having the graphical user interface with the transitional icon, according to the second embodiment and illustrating an eighth image thereof.

The appearance of the transitional icon in the graphical user interface sequentially transitions among the images shown in FIGS. 1-8 or among the images shown in FIGS. 9-16. The process or period in which any image transitions to another image forms no part of the claimed design.

The broken line showing of a device illustrates environment; the remainder of the broken lines illustrates portions of the display screen having a graphical user interface with a transitional icon. The broken lines form no part of the claimed design.

1 Claim, 16 Drawing Sheets

(58) **Field of Classification Search**

CPC G06F 3/04847; G06F 1/1692; G06F 3/04817;
G06F 15/02; G06Q 10/063114; H04N
1/00477; G11B 27/34; G06T 13/80

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D626,131	S	*	10/2010	Kruzeniski	D14/485
D629,419	S	*	12/2010	Ording	D14/489
D654,930	S	*	2/2012	Morrow	D14/492
D665,422	S	*	8/2012	Morrow	D14/492
D687,059	S	*	7/2013	Bruck	D14/488
D691,171	S	*	10/2013	Brinda	D14/488
D699,745	S	*	2/2014	Pearson	D14/488
D703,693	S	*	4/2014	Brinda	D14/488
8,756,511	B2	*	6/2014	Heo	G06F 3/04883 715/741
D712,914	S	*	9/2014	Lee	D14/486
D712,915	S	*	9/2014	Lee	D14/486
D712,917	S	*	9/2014	Lee	D14/486
D713,413	S	*	9/2014	Lee	D14/486
D713,414	S	*	9/2014	Lee	D14/486
D713,415	S	*	9/2014	Lee	D14/486
D713,416	S	*	9/2014	Lee	D14/486
D714,819	S	*	10/2014	Wang	D14/486
D717,829	S	*	11/2014	Lee	D14/488
D721,084	S	*	1/2015	Kimball	D14/485
D730,933	S	*	6/2015	Lee	D14/488
D741,892	S	*	10/2015	Ahn	D14/486
D748,657	S	*	2/2016	Lee	D14/486
D750,650	S	*	3/2016	Lee	D14/486
D751,599	S	*	3/2016	Connolly	D14/488
D752,094	S	*	3/2016	Cornwell	D14/488
D753,151	S	*	4/2016	Lee	D14/485
D755,205	S	*	5/2016	Sanderson	D14/485
D759,682	S	*	6/2016	Myung	D14/485
D760,251	S	*	6/2016	Myung	D14/485
D760,769	S	*	7/2016	Ishii	D14/488
D762,672	S	*	8/2016	Lee	D14/485
D763,271	S	*	8/2016	Everette	D14/485
D763,306	S	*	8/2016	Lee	D14/488
D765,674	S	*	9/2016	Kim	D14/485
2007/0229535	A1	*	10/2007	Sakai	G06F 9/4443 345/619

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D775,633 S
APPLICATION NO. : 29/506352
DATED : January 3, 2017
INVENTOR(S) : William Wu


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

On page 2, in Column 1, under "Description", Line 11, after "seventh", insert --image--

Signed and Sealed this
Fourth Day of June, 2019



Andrei Iancu
Director of the United States Patent and Trademark Office