



US00D775705S

(12) **United States Design Patent**
Khoshnood et al.

(10) **Patent No.:** **US D775,705 S**
(45) **Date of Patent:** **** Jan. 3, 2017**

(54) **ARCHERY BOW STABILIZER AND SHOCK DAMPENER**

D682,969 S * 5/2013 Khoshnood D22/107
D715,391 S * 10/2014 Choma D22/107
2014/0083403 A1* 3/2014 Khoshnood F41B 5/143
124/44.5

(71) Applicants: **Bahram Khoshnood**, Alpharetta, GA
(US); **David L. Potts**, New
Philadelphia, OH (US)

* cited by examiner

(72) Inventors: **Bahram Khoshnood**, Alpharetta, GA
(US); **David L. Potts**, New
Philadelphia, OH (US)

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Rodgers & Rodgers

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/523,966**

The ornamental design for an archery bow stabilizer and shock dampener, as shown and described.

(22) Filed: **Apr. 15, 2015**

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**

USPC **D22/107**

(58) **Field of Classification Search**

USPC D22/107

CPC F41B 5/1403; F41B 5/10; F41B 5/14;

F41B 5/0031; F41B 5/00; F41B 5/1484

See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of an archery bow stabilizer and shock dampener showing our new design;

FIG. 2 is a front elevational view thereof, the rear being a mirror image thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left-side elevational view thereof; and,

FIG. 6 is a right-side elevational view thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

7,117,604 B2 * 10/2006 Khoshnood F41G 1/467
124/87

7,412,772 B1 * 8/2008 Khoshnood F41G 1/467
124/87

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG.4



FIG. 5



FIG. 6