



US00D775705S

(12) **United States Design Patent**  
**Khoshnood et al.**

(10) **Patent No.:** **US D775,705 S**  
(45) **Date of Patent:** **\*\* Jan. 3, 2017**

(54) **ARCHERY BOW STABILIZER AND SHOCK DAMPENER**

D682,969 S \* 5/2013 Khoshnood ..... D22/107  
D715,391 S \* 10/2014 Choma ..... D22/107  
2014/0083403 A1\* 3/2014 Khoshnood ..... F41B 5/143  
124/44.5

(71) Applicants: **Bahram Khoshnood**, Alpharetta, GA  
(US); **David L. Potts**, New  
Philadelphia, OH (US)

\* cited by examiner

(72) Inventors: **Bahram Khoshnood**, Alpharetta, GA  
(US); **David L. Potts**, New  
Philadelphia, OH (US)

*Primary Examiner* — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Rodgers & Rodgers

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/523,966**

The ornamental design for an archery bow stabilizer and shock dampener, as shown and described.

(22) Filed: **Apr. 15, 2015**

(51) **LOC (10) Cl.** ..... **22-01**

(52) **U.S. Cl.**  
USPC ..... **D22/107**

**DESCRIPTION**

(58) **Field of Classification Search**  
USPC ..... D22/107  
CPC ..... F41B 5/1403; F41B 5/10; F41B 5/14;  
F41B 5/0031; F41B 5/00; F41B 5/1484  
See application file for complete search history.


FIG. 1 is a perspective view of an archery bow stabilizer and shock dampener showing our new design;  
FIG. 2 is a front elevational view thereof, the rear being a mirror image thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left-side elevational view thereof; and,  
FIG. 6 is a right-side elevational view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

7,117,604 B2 \* 10/2006 Khoshnood ..... F41G 1/467  
124/87  
7,412,772 B1 \* 8/2008 Khoshnood ..... F41G 1/467  
124/87

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG.3




FIG.4



FIG. 5



FIG. 6