



US00D775928S

(12) **United States Design Patent**
Euchner

(10) **Patent No.:** **US D775,928 S**

(45) **Date of Patent:** **** Jan. 10, 2017**

(54) **LOCKING DEVICE**

(71) Applicant: **Euchner GmbH + Co. KG**,
Leinfelden-Echterdingen (DE)

(72) Inventor: **Stefan Euchner**, Stuttgart (DE)

(73) Assignee: **Euchner GmbH + Co. KG**,
Leinfelden-Echterdingen (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/537,555**

(22) Filed: **Aug. 27, 2015**

(30) **Foreign Application Priority Data**

Jul. 1, 2015 (EM) 002729111

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/330**

(58) **Field of Classification Search**
USPC D8/330, 331, 336, 339, 343, 349, 350,
D8/354, 382, 400, 300, 301, 302; 70/14,
70/51, 52, 57, 57.1, 67, 69, 78, 85, 86,
70/88, 141, 262, 263, 431, 218, 221, 203;
292/32, 358, 359, DIG. 68, DIG. 30, 137,
292/106, 108, 336.3

CPC E05B 3/00; E05B 9/00; E05B 2009/004;
E05B 47/00; E05B 55/00; E05B
15/00; E05C 7/00; E05C 19/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D303,623 S * 9/1989 Pearson D8/330
D505,853 S * 6/2005 Ling D8/334

7,562,547 B2 * 7/2009 Avganim E05B 73/0082
70/14
D614,476 S * 4/2010 Buhse D8/330
D634,605 S * 3/2011 Guimaraes D15/28
8,555,682 B2 * 10/2013 Trunek B62H 5/003
70/14
8,833,274 B2 * 9/2014 Bartel E05G 1/00
109/48
8,925,981 B2 * 1/2015 Ray, II B66B 13/16
292/140
8,984,919 B2 * 3/2015 Jelin E05B 65/46
109/52
9,297,186 B2 * 3/2016 Chen E05C 1/12

* cited by examiner

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Michael Soderman

(57) **CLAIM**

The ornamental design for a locking device, as shown and described.

DESCRIPTION

FIG. 1 is a view in perspective at an angle from the front, top and right-hand side of the locking device showing the new design;

FIG. 2 is a front view of the locking device;

FIG. 3 is a rear view of the locking device;

FIG. 4 is a view of the left-hand side of the locking device;


FIG. 5 is a view of the right-hand side of the locking device;

FIG. 6 is a top view of the locking device; and,

FIG. 7 is a bottom view of the locking device.

The broken lines illustrate unclaimed portions and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7